

Enterprise Architect

User Guide Series

Business Analysis Tools

Author: Sparx Systems & Stephen Maguire Date: 30/06/2017

Version: 1.0



Table of Contents

| Business Analysis Tools | |
|--------------------------------|-----|
| Activity Diagram | |
| Artifact | |
| Auditing | |
| Auto Names and Counters | |
| Balanced Scorecard | 13 |
| Baseline Tool | 15 |
| Boundary | 17 |
| Business Process Diagram | 19 |
| Business Process Simulation | 21 |
| Business Rules Model | 23 |
| Calendar | 25 |
| Class Diagram | |
| Component Diagram | 29 |
| Dashboard Diagrams | 31 |
| Data Flow Diagram | |
| Data Modeling Diagram | 35 |
| Database Builder | 37 |
| Decision Tree Diagram | 39 |
| Decision Table Editor | |
| Deployment Diagram | |
| Document Artifact | 44 |
| Documentation | 46 |
| Element Appearance | 48 |
| Element Browser | 50 |
| Element Discussions | 52 |
| Entity Relationship Diagram | 53 |
| Flow Chart Diagram | 55 |
| Gantt View | 58 |
| Gap Analysis Matrix | 60 |
| Glossary | 62 |
| Hand Drawn and Whiteboard Mode | 64 |
| Image Manager | |
| Import and Export Spreadsheets | 68 |
| Info View | 69 |
| Insert Related Elements | |
| List View | |
| Maintenance Items | 75 |
| Mind Mapping Diagram | 76 |
| Model Mail | 78 |
| Model Search | 80 |
| Model Transformation | |
| Model Views | 0.4 |
| Organizational Chart Diagram | |
| Package Browser | |
| Pan and Zoom | 90 |
| Project Browser | |

| | 97 99 101 103 105 |
|--|--------------------------------------|
| Requirement Properties Requirements Checklist Requirements Diagram | 97 99 101 103 105 107 |
| Requirements Checklist Requirements Diagram | 101 103 105 107 |
| Requirements Diagram | 101 103 105 107 |
| | 105 107 |
| Risk Taxonomy | 107 |
| Roadmap Diagram | 107 |
| Scenario Builder | |
| Schema Composer | |
| Security | 110 |
| Sequence Diagram | 112 |
| Specification Manager | 114 |
| StateMachine Diagram | 116 |
| Stereotyping | 118 |
| Strategy Map | 120 |
| | 122 |
| Team Reviews | 124 |
| Testing | 126 |
| Traceability Window | 128 |
| Use Case Diagram | 130 |
| Use Case Estimation | 132 |
| User Story | 134 |
| Value Chain | 136 |
| Visual Filters | 138 |
| | 140 |
| Working Sets | 143 |
| | 145 |

Business Analysis Tools

Enterprise Architect is a sophisticated and flexible Business Analysis modeling tool that can be used by the analyst from planning through to product support. The tool can be used with any Business Analysis process and there is a wide range of features that allow analysts to work using their preferred methods, such as Word Processor views, Spreadsheet views, Diagrams, Relationship Matrix or a number of other core and extended features. The analyst will be happy in the knowledge that whatever the task is, there will be a tool to assist them to carry out their work, and the results will be stored in a sophisticated repository that can be accessed by other team members who will ultimately benefit from their work.

This Mind Map shows the landscape of the key Business Analysis tools that can be used to develop and manage the wide range of artefacts produced by the Business Analyst.


Activity Diagram

Getting to know the Activity Diagram

Introducing the Activity Diagram

The Activity Diagram is one of the Unified Modeling Language (UML) Behavioral diagrams that can be used to model a process or algorithm as a sequence of steps. It is a more sophisticated version of its close cousin the Flowchart diagram. Activity diagrams can be used to model Business Processes as a UML alternative to the BPMN Business Process Diagram and have the same ability to create a hierarchy of Activities in the Project Browser.

Activity Diagram showing the use of Partitions



The elements can be given a name and detailed descriptions can be added to the notes. By connecting the Activities, Decisions and Forks with connectors (Control Flows) a sequence of elements can describe the business process. A process hierarchy can be constructed by nesting Activities in the Project Browser and using the Child Diagram functionality to enable drill down from the value chain level down to the lowest level processes.

| Where to find the Activity Diagram | Ribbon: Design > Diagram > New > UML Behavioral > Activity Project Browser Caption Bar Menu: New Diagram UML Behavioral Activity Project Browser Context Menu: Add Diagram UML Behavioral Activity | |
|---------------------------------------|--|--|
| Usage of the Activity Diagram | The Activity Diagram can be used to model any business or technical activity or notion that has a series of steps. This includes business and technical processes and also computer algorithms. The steps are connected by Control Flow relationships that show the sequencing of the steps. Decisions and Merges can be used to model choice and to further control the flow through the Activity. Forks and Joins can be added to split and reunite the flow of control and objects added to show how data is supplied and consumed. | |
| Options for the Activity Diagram | Activity Diagrams can be drawn at different levels of formality from a Basic Flow Chart style of diagram used to represent a simple Business Process to a sophisticated Action based diagram that can be used to model a complex system. | |

There is a toolbox which contains a range of elements, relationships and Patterns for creating the models.

The Activity Diagram (like any diagram) can be viewed as an element list, which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams, and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

| Toolbox | د 🗆 | × |
|------------|----------------------|---|
| | More tools | |
| 🗆 Ac | tivity | |
| | Activity | |
| | Structured Activity | |
| | Action | |
| | Partition | |
| | Object | = |
| E | Central Buffer Node | = |
| 3 | Datastore | |
| \diamond | Decision | |
| ۲ | Merge | |
| | Send | |
| \sum | Receive | |
| ۲ | Synch | - |
| • | Initial | |
| ۲ | Final | |
| 8 | Flow Final | |
| \square | Region | |
| 2 | Exception | |
| | Fork/Join | |
| | Fork/Join | |
| 🗆 Ac | tivity Relationships |] |
| 7 | Control Flow | |
| 37 | Object Flow | |
| Ŧ | Interrupt Flow | |
| 🗆 Ac | tivity Patterns |] |
| •2 | Basic Activity | • |

Learn more about the Activity Diagram

Activity Diagram


Artifact

Getting to know the Artifact

Introducing the Artifact

An Artifact can be used to represent an external file that resides outside the repository. This is particularly useful for making reference to external file sources including files such as word processor files, spreadsheets and web pages or files reachable by a Universal Resource Indicator (URI). They are also used for other purposes in Enterprise Architect such as for programming source code files and database Tables.

The external files can be opened by selecting the element in a diagram or the Project Browser and pressing Ctrl+E or the F12 key. Each file is opened either on a separate tab in the Diagram View workspace (if the file can be opened within Enterprise Architect) or in the default Windows viewer/editor for the file type (if the file cannot be opened within Enterprise Architect).



Where to find the Artifact Toolbox Page: Common, Artifacts, Component, Documentation, Deployment | Artifact

Usage of the Artifact The Artifact is a powerful tool for connecting elements in the repository with external files or web resources. It is particularly useful when a file such as a spreadsheet, word processor, presentation or other file that resides outside the repository has to be referenced or connected to elements inside the repository. For example, a Business Case might have been written before the Enterprise Architect repository was established, in a word processor file stored in a corporate document registry available through a URL.

The file can simply be dragged onto any Enterprise Architect diagram, which will give the user the option to create an Artifact representing the external document. Leaving the default name will assign the name of the external file. A hyperlink will be created automatically. The Artifact in the repository acts as a surrogate, and any number of elements can be connected to it or Tagged Values added to it. The external file can be opened by simply selecting $\langle Ctrl \rangle \langle E \rangle$ or $\langle F12 \rangle$ or by using the 'Launch' option of the Artifact 'Properties' dialog.


The Artifact can be used to create references to project management documents or resources that are located in a Project Management Office registry. It is also useful to create a virtual reference library inside Enterprise Architect, connecting to resources that reside outside the repository. The Artifact can be created as an External or an Internal file. When a file or **Options for the Artifact** resource is dragged onto a diagram, a menu will prompt the user to select the type of Artifact to create: 'Hyperlink' creates a Hyperlink element on the diagram; you can select a sub-option to define what happens when double-clicking on the Hyperlink: 'Open' displays the file content and 'Edit' opens it within the assigned file editor 'External' creates an Artifact element on the diagram that stores a hyperlink to • the external file; press F12 or Ctrl+E to open the external file 'Internal' creates an Artifact element on the diagram and makes a copy of the • file inside the repository; double-clicking the Artifact launches the internal document 'Insert' (graphics files only) inserts the file into the diagram as a filled Boundary element Hyperlink Artifact (External) Artifact (Internal) Learn more about the Artifact Artifact

Auditing

Getting to know Auditing

Introducing Auditing

The Auditing feature can keep track of the changes to Requirements including what was changed, when it was changed and by whom. Auditing is by default disabled and must be enabled before the changes to requirements will be recorded. Once enabled it is a passive tool that silently records the changes to elements. It does not replace version control or baselines and in contradistinction to these tools it can not be used to return to a previous state of the model. Change management, governance and quality control are all aided by the use of Auditing.



Where to find Auditing

| Auditing can be used to track what was changed in a model, who changed it and |
|--|
| when. There are a number of modes and a repository administrator can use the |
| settings to specify what is recorded in the audit. While a baseline can be used to |
| show the difference between a model and a snapshot at a point in time, the |
| Auditing tool records each individual change; it can not, however, be used to |
| revert to a previous state. |
| |

Options for Auditing There is a wide range of settings to configure auditing, starting with enabling or disabling the settings that determine which elements have an audit trail and the level of detail recorded. Audit logs can be exported from the repository to increase performance.

| Enable Auditing Audit XMI Import Audit XMI Export Audit Reverse | Auditing Level Core Standard Extended |
|---|---|
| Audit <u>Reverse</u> Engineering Use <u>D</u> atabase Timestamp Clear <u>L</u> ogs <u>S</u> ave Logs | Audit Options Maintenance Core Structural All Custom Customize |
| Load Logs | ncel <u>H</u> elp |

Learn more about Auditing Auditing

•

Auto Names and Counters

Getting to know Auto Names and Counters

Introducing Auto Names and Counters

To aid, regulate and enforce a naming standard, Enterprise Architect includes some capabilities to configure the default names assigned to new elements of a specific type. This is a useful feature when dealing with complex and large sets of requirements, but is also relevant when dealing with smaller data sets. Auto Names and Counters can be used to assign a sequential number to any element type including Requirements. It includes a prefix definition, a counter and a suffix definition allowing numbers such as: 'REQ007 - Manage Inventory' to be created.

| Туре | | | | Save |
|-------------------|---------|--------|----------------------|-------|
| Requirem | ent | - | | Class |
| ⊢ Na <u>m</u> e - | | | | Close |
| Prefix | Counter | Suffix | | |
| REQ | 001 | - | Apply on creation | |
| Alias — | | | | |
| Prefix | Counter | Suffix | | |
| | | | Apply on creation | Help |

Where to find Auto Names and Counters

Usage of Auto Names and Counters Ribbon: Configure > Reference Data > Settings > Auto Names and Counters

Analysts and others can use the sequential number for communicating unambiguously about the requirements without having to use the often long requirement name. The 'Apply on Creation' option must be checked to start using the auto numbering feature, this can also be used to temporarily suspend auto naming for example if other types of requirements are being entered that don't need to have sequential numbers assigned.

Options for Auto Names and Counters

There are options to define the prefix, counter and suffix for a requirement.

| Requireme | ent | - | |
|-----------------|---------|--------|----------------------|
| Na <u>m</u> e - | | | |
| Prefix | Counter | Suffix | |
| REQ | 0001 | - | Apply on creation |
| Alias — | | | |
| Prefix | Counter | Suffix | |
| | | | Apply on creation |


Learn more about Auto Names and Counters Apply Auto Naming to Existing Elements

Balanced Scorecard

Getting to know the Balanced Scorecard

Introducing the Balanced Scorecard

Balanced Scorecard is a strategic diagram that allows a balanced approach to performance measures to be modeled. The diagram can be created from a Pattern that adds and connects the four perspectives: Financial, Customer, Internal Business Process, Learning and Growth. Most organizations of any appreciable size will be using some type of Balanced Scorecard approach to align business activities to the vision and strategy of the organization, to monitor performance against strategic goals and to improve communication. The Balanced Scorecard diagram is part of a set of strategic diagrams that allow many aspects of an organization's business to be modeled.



| Where to find the | Ribbon: Design > Diagram > New > Strategic Modeling > Balanced Scorecard |
|------------------------------------|---|
| Balanced Scorecard | Project Browser Caption Bar Menu: New Diagram Strategic Modeling Balanced Scorecard |
| | Project Browser context menu: Add Diagram Strategic Modeling Balanced Scorecard |
| Usage of the Balanced Scorecard | A Balanced Scorecard can be used to ensure business activities are aligned to the vision and strategy of the organization, to monitor performance against strategic goals and to improve communication. |

Options for the Balanced Scorecard

The Classes representing the four perspectives can be traced to other elements in the models such as Goals and Business Capabilities and also to linked documents that allow the perspectives to be documented.




Learn more about the Balanced Scorecard Balanced Scorecard

Baseline Tool

Getting to Know the Baseline Tool

Introducing the Baseline Tool

The Baseline Tool can capture a snapshot of the Requirements at a point in time and then at a later time the repository can be compared to this (or another baseline) for the purpose of determining what has changed. Any number of baselines can be created and labeled and there is a baseline comparison tool which displays the differences between the baseline and the model and allows the modeler to revert a change in the model to a baseline at a granular level.



| Where to find the Baseline Tool | Project Browser Context Menu: Package Control Package Baselines |
|------------------------------------|---|
| Usage of the Baseline Tool | Baselines are also useful when a formal requirements process is being followed or the Requirements form part of a contact, as the baseline can keep a snapshot of the requirements at important milestones such as contract signing or requirement phase sign off. This is also applicable to iterative and incremental processes such as Agile methods, as the requirements can be baselined before or even after a Sprint. When Requirements are still volatile and the Requirements' owners are still formulating their needs, a baseline can be created to take a snapshot at important points in the analysis phase, such as after an elicitation workshop. |
| Options for the Baseline Tool | There are several options that can be applied to configure the way the Baseline Compare tool presents information; these are available from the Options button on the Baselines window. |

| Always Expand to Differences | |
|---|--|
| Show Elements that are: | Suppress these Changes |
| ✓ Changed ✓ In Baseline Only ✓ In Model Only ☐ Unchanged Items | Suppress Diagrams Suppress Date Modified Suppress Date Created Suppress Children of Missing Items Suppress Advanced Properties |
| Baseline Diagram Compare Option | |


Learn more about the Baseline Tool Package Baselines

Boundary

Getting to know the Boundary

Introducing the Boundary

The Boundary element is derived from the Use Case system boundary but can be used extensively in other contexts as a way of describing a separation between a system or part of a system and its external environment. Any number of Boundaries can be added to a diagram and other elements such as Use Cases, Features, Requirements, Components and more can be placed inside the boundary. The properties of the Boundary can be altered to show a number of compartments organized into vertical and horizontal swimlanes. The border style and opacity of the Boundary can also be set.



Stakeholder Onion Diagram

Usage of the Boundary

The Boundary element is particularly useful for defining what is inside a system (or part of a system) and what is outside. It can be used to show the Use Cases of a system or subsystem, the in-scope Features or Requirements. Diagrams created for management and non-technical audiences will benefit from the use of Boundaries which can be colored and nested to have visual appeal and business meaning. It is essentially a diagrammatic device and does not appear in the Project Browser. If a formal and structural grouping of elements is needed the modeler could consider the use of a Package.

Options for the Boundary The Boundary can be configured to have a number of vertical and horizontal swimlanes, which are useful for grouping elements into different sections of the boundary, creating a matrix effect. The Border Style can also be configured to allow different line styles which can then be colored using the standard element appearance settings. Also choosing the 'Solid' options allows the Boundary's fill color to be set.

| Boundary Properties | | | × |
|--|---|---|----------------------|
| Na <u>m</u> e: Online Book Store In | -Scope Features | | <u>O</u> K Cancel |
| Border Style ── Solid Dotted Dashed | Hori <u>z</u> ontal Swim Lanes: <u>V</u> ertical Swim Lanes: | 1 | Gance |
| Solid-No Fill | | | Help |


Learn more about the Boundary Boundary

Business Process Diagram

Getting to know the Business Process Diagram


Introducing the Business Process Diagram

The Business Process Diagram is part of the Business Process Model and Notation (BPMN) and is the main diagram type for defining business processes. The diagram can include Start, Intermediate, End Events, Business Processes, Activities, Gateways and Pools and Lanes and more. The elements can be given a name and detailed descriptions can be added to the notes. By connecting the flow objects with connectors a sequence of activities and gateways and events can describe the business process.



A process hierarchy can be constructed by nesting Business Processes and Activities in the Project Browser and using the Child Diagram functionality to enable drill down from the value chain level down to the lowest level processes.

| Where to find the Business | Ribbon: Design > Diagram > New > BPMN x.y > Business Process | | |
|---|--|--|--|
| Process Diagram | Project Browser Caption Bar Menu: New Diagram BPMN x.y Business Process | | |
| | Project Browser context menu: Add Diagram BPMN x.y Business Process | | |
| Usage of the Business Process Diagram | Business Process Diagrams can be used to model the Business Processes in an entire organization or part of an organization. Business Processes can be created to represent the current or future state of the organization at any level of detail from the value chain down to a process performer level. A process hierarchy would typically be defined that would set the standards for the number of levels, naming, organisation of the processes and more. | | |
| Options for the Business Process Diagram | Business Process Diagrams can be drawn at different levels of formality from a Basic Flow Chart style of diagram used to represent a simple Business Process to a sophisticated diagram making use of many of the markers for Events and Activities to describe complex business processes. There is a toolbox which contains a range of elements, relationships and Patterns for creating the models. | | |



The Business Process Diagram can also be used to generate Business Process Execution Language (BPEL) which is an XML language that can be ingested by a number of tools.

The Business Process Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier.


Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams.

Learn more about the Business Process Diagram **Business Process Diagram**

Business Process Simulation

Getting to know Business Process Simulation

Introducing Business Process Simulation The BPSim facility provides a way of simulating processes written in Business Process Model and Notation (BPMN), providing valuable results that can be used in process analysis. The BPMN models are augmented with extra data as parameters to the simulation. It allows structural and capacity analysis to be performed, providing for pre- and post-execution optimization. Enterprise Architect allows you to construct the Business Process Models and enter the appropriate data, which is then sent to a BPSim Simulation engine.



| Where to find Business Process Simulation | You can purchase and download the MDG BPSim Execution Engine from the 'Products' page of the Sparx Systems web site. |
|--|--|
| Usage of Business Process Simulation | Business Process Simulation is essentially used to mimic real world or planned processes in a model, providing a low cost way of determining the effectiveness or value of a Business Process. An analyst can assign operating information to a model and then assess the quality or effectiveness of the solution based on information received back from the Simulation engine. Simulations can be run any number of times adjusting configuration information. The Simulation can be performed on current state and future state processes as required. It is common practice only to investigate critical or problematic processes. |
| Options for Business Process Simulation | The configurations created inside the repository and the BPMN Business Process Diagrams can be exported in a standard format and consumed by any standards compliant BPSim engine. Sparx Systems sells a BPSim Compliant simulator available in the MDG BPSim Execution Engine that allows the simulation to be performed inside the tool. Simulation results can be stored in the engine and used for cross simulation |
| | comparison. |
| Learn more about | Business Process Simulation |

Business Process Simulation

Business Rules Model


Getting to know the Business Rule Model

Introducing the Business Rule Model

The Business Rules Model provides a way of formally defining business rules including the way they are sequenced and the domain elements they relate to. The model allows Business Rules to be formally represented in a way that prepares for the automatic generation of application (programming) code that would ultimately be used to implement the rules. There are three main parts to the notation for documenting the rules as follows:

- 1. The Business Rules that express a Policy and are applicable to a Business Process.
- 2. The Business Rule Tasks that express a task or decision that the business processes must make.
- 3. The domain or information elements that represent the vocabulary or facts that the Business Rules relate to.

The Business Rules can also be related to Policies from which they derive and Requirements which they realize and application services that implement them.




| Where to find the Business Rule Model | Ribbon: Design > Diagram > New > Business Rule Model Rule Flow, Rule Model | | |
|--|---|--|--|
| | Project Browser Caption Bar Menu: New Diagram Business Rule Model Rule Flow, Rule Model | | |
| | Project Browser context menu: Add Diagram Business Rules Model Rule Flow, Rule Model | | |
| Usage of the Business Rule Model | The Business Rules Model can be used to formally model business rules and the way they are applied in a rule task. The model provides a useful way of structuring the rules as a group by connecting them to a Rule Task which can be related to the Business Process where the rules are being applied. This has the effect of reducing the clutter on a Business Process Diagram and showing how the Business Rules | | |

apply as a set. The important information elements and facts can also be related to the Rule Tasks again reducing the clutter of connecting individual domain elements with specific rules.

Options for the Business
Rule ModelThe Business Rules and the Rule Tasks can be related to Policies, Requirements,
Business Processes and other model elements creating an articulated model that
shows how the business rules are applied.

Behavioral models can also be generated from the Business Rules Models.



Learn more about the Business Rule Model Business Rule Model

Calendar

Getting to know the Calendar

Introducing the Calendar


The Calendar is a fully featured mechanism for recording the important events in an initiative and displaying other information such as resource allocation. There are day, week and month views and the display can be set to show Calendar entries, Project Tasks and Resource Allocation. When a resource has been allocated - for example to analyze a set of requirements - a user can drill through from the Calendar to the requirements' location in the Project Browser.

| Calendar × | | | | |
|--|-------|---|------|-----------------|
| 📰 - 🔀 🚺 5 📝 🛐 Project Ca | aler | ndar 🍷 🛛 </td <td>All></td> <td>* <aii></aii></td> | All> | * <aii></aii> |
| ◀ November 2015 ▶ | | Mon | Tue | Wed |
| MTWTFSS | | 16 November | 17 | 18 |
| 44 26 27 28 29 30 31 1 45 2 3 4 5 6 7 8 | | Stakeholder We | | 🍐 Weekly Stac |
| 45 2 5 4 5 6 7 6 46 9 10 11 12 13 14 15 | | Requirements F | | · · · · · |
| 47 16 17 18 19 20 21 22 | 00044 | Nequirements r | | |
| 48 23 24 25 26 27 28 29 | | • • • • • • • • • • • • • • • • • • • | | |
| 49 30 | 4 | | | |
| December 2015 | | | | |
| MTWTFSS | | 23 | 24 | 25 |
| 49 1 2 3 4 5 6 | | | 27 | |
| 50 7 8 9 10 11 12 13 | | Technical Revie | | 🦈 Weekly Stac |
| 51 14 15 16 17 18 19 20 | - | - | | 👶 Fortnight B |
| 52 21 22 23 24 25 26 27 | 00/14 | 5 | | |
| 53 28 29 30 31 | | • | | |
| January 2016 | ĉ | 4 | | |
| MTWTFSS | | | | |

There are also fully configurable Event Types, Categories and colors. The work of a Business Analyst will involve a wide range of events including things like: workshops, interviews, focus groups, collaborative games, brainstorming sessions, reviews, observations and meetings. All of these events can be conveniently recorded and managed in the Calendar. When resources have been allocated to elements and tasks have been assigned to individuals these can be displayed in the Calendar.

Where to find the
CalendarRibbon: Start > Today > CalendarUsage of the CalendarThe Calendar can be used to schedule and view events such as meetings,
milestones, reviews, workshops and more. It can be used to view the allocation of
resources to elements in the repository such as who is analyzing a set of
requirements. It can also be used to view Project Tasks. An analyst can
conveniently click through to the elements in the Project Browser or the Project
Tasks.Options for the CalendarThe Calendar has a number of options including the ability to create recurrent
events. There is an options toolbar icon that allows aspects of the Calendar's
appearance to be configured.

| ž | • 0 |
|----------|--------------------------|
| | Configure Event Subtypes |
| | Time Scale |
| v | Show End Time |
| | Show Time As Clocks |
| v | Compress Weekend Days |
| v | Show ToolTips |



Calendar


(c) Sparx Systems 2015 - 2017

Class Diagram

Getting to know the Class Diagram

Introducing the Class Diagram

The Class Diagram is one of the Unified Modeling Language (UML) Structural diagrams that can be used to model a wide range of things. It is a general purpose diagram for modeling entities in the business and technical domains including terms and concepts Business Rules and Capabilities to XML and Database Schemas.



| Where to find the Class Diagram | Ribbon: Design > Diagram > New > UML Structural > Class Project Browser Caption Bar Menu: New Diagram UML Structural Class Project Browser Context Menu: Add Diagram UML Structural Class |
|------------------------------------|--|
| Usage of the Class Diagram | The Class Diagram can be used whenever a logical or structural representation of a system is required. It has applicability for modeling both business and technical concepts and can be used to model information and structures such as XML and database schemas. |
| Options for the Class Diagram | The Class Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier. |
| | Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram. |

| Toolbox | □ × □ |
|----------------------------------|--------------|
| | More tools 🔺 |
| Class | |
| 🛅 Package | |
| Class | |
| ⊶ Interface | |
| Data Type | |
| 📒 Enumeration | |
| Primitive | |
| 📑 Table | |
| 📝 Signal | |
| | |
| Class Relationships | |
| 🖊 Associate | |
| in Generalize | |
| 🥕 Compose | |
| 🔑 Aggregate | |
| 🖌 Association Class | |
| -@- Assembly | |
| [™] Realize | |
| . ⁸⁷ Template Binding | J |
| P Nesting | |
| Package Merge | |
| Package Import | |
| Abstraction | |
| Substitution | |
| Usage | • |


```
Learn more about the
Class Diagram
```

Class Diagram


Component Diagram

Getting to know the Component Diagram

Introducing the Component Diagram The Component Diagram is one of the Unified Modeling Language Structural diagrams that can be used to model the logical components that make up a system. They can be used to model the applications of an organization including their Provided and Required Interfaces and the information that is exchanged between the interfaces.



Options for the
Component DiagramComponent Diagrams can be drawn at a number of levels of formality from simple
diagrams that show the dependencies between Components to sophisticated
diagrams using Ports, Interfaces and Information flows.



There is a toolbox which contains a range of elements, relationships and Patterns for creating Component diagrams.

The Component Diagram (like any diagram) can be viewed as an element list that makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams, to draw attention to parts of the diagrams, and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Component Diagram

Component Diagram

Dashboard Diagrams

Getting to Know the Dashboard Diagrams

Introducing Dashboard Diagrams

The Dashboard Diagrams allow high quality charts and graphs to be created to display repository information in a visually compelling way, such as the ratio of Requirement Priorities in a pie chart. There is a toolbox page of pre-configured charts and graphs, but the user is free to create and save any number of charts sourcing data from anywhere in the repository. The charts and graphs provide valuable summary information that assists in the management of requirements. High level reporting and project status can be easily tracked and documented using the numerous charts and report elements available that tightly link in with the model content and status.



Elements by Priority

This diagram shows a Pie Chart element depicting element priority for all the requirements in a selected package. It provides a useful summary for a requirements manager and is dynamically updated when the Priority changes and the diagram is reopened. There are a range of other predefined charts and user defined charts can also be added. A filter has been added to exclude all elements other than Requirements.

| Where to find Dashboard Diagrams | Project Browser Context Menu: Add Diagram Extended Dashboard |
|-------------------------------------|---|
| Usage of Dashboard Diagrams | Dashboard Diagrams present compelling views of information such as the Status of Requirements in a particular release of the system that can be viewed inside the model or conveniently copied directly into management or project team presentations. They are useful for planning an iteration such as an Agile sprint to view how ready the requirements are for the implementation team; for example to view what percentage of the Requirements have been approved and are of high priority. |
| Options for Dashboard Diagrams | The Standard Charts and Graphs available from the toolbox can be configured in a number of ways, including changing the source, applying filters or modifying the appearance of the chart as indicated in this diagram, available from the chart's Properties window using the 'Appearance' section. |

| Category: | Doughnut 3D 💌 | Label <u>P</u> osition: | Outside End |
|--------------------|--|-------------------------|--------------------|
| <u>G</u> radient: | Radial | | ☑ Show Data Labels |
| <u>H</u> ole Size: | Show Index in Labels Exploded Fit Diagram Area Display Legend | 21% | |

Learn more about Dashboard Diagrams


Charts

Data Flow Diagram

Getting to know the Data Flow Diagram

Introducing the Data Flow Diagram

The Data Flow Diagram (DFD) is part of the Structured Systems Analysis and Design Method and is used to show the way that data flows through a system including the Processes, Data Stores and Entities that relate to the data.



A hierarch of diagrams is typically created that start from the Context Diagram which is said to be at 'level 0' in the hierarchy.

| Where to find the Data Flow Diagram | Ribbon: Design > Diagram > New > Data Flow Diagrams > Data Flow Diagram Project Browser Caption Bar Menu: New Diagram Data Flow Diagrams Data Flow Diagram |
|--|--|
| | Project Browser context menu: Add Diagram Data Flow Diagrams Data Flow Diagram |
| Usage of the Data Flow Diagram | The Data Flow Diagram can be used to create a data and process centric view of a system at any level. While the BPMN Business Process Diagram is not centered on data the Data Flow Diagram is data centric and shows which Processes consume, produce and store data. The diagrams are useful for a data analyst who needs to know how data moves through a system right from the context level where data flows between external entities and the system down to the lowest level. |

Options for the Data Flow Diagram

The Data Flow Diagram can be assembled into a hierarchy and drill down to lower level diagrams can be achieved using the Child Diagram functionality. The Processes can be organized into a hierarch using the Project Browser and the Child Diagrams can be nested under each Process node in the Project Browser tree.

| Toolbox 🗆 🗙 | |
|-------------------|---|
| More tools | |
| Data Flow Diagram | |
| O Process | |
| External | |
| 📃 Data Store | |
| 🗇 Data Flow | |
| Gate . | • |

Colors can be used to represent particular data and how it flows through the system. Target and Future state diagrams can be drawn and transitions can describe how processes can be improved and made more efficient.

The Data Flow Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier.


Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Data Flow Diagram Data Flow Diagram

Data Modeling Diagram

Getting to know the Data Modeling Diagram

Introducing the Data Modeling Diagram The Data Modeling Diagram is used to create or view graphical models of relational database system schemas including a range of database objects. The diagrams can be drawn at a logical or a physical level. When a physical schema is being represented the modeler can choose the correct RDBMS which will enable the appropriate data types. Tables, Views, Stored Procedures and other objects are connected showing the way they are related to each other. Tables are the central element of the schema and can show the contained columns including datatypes, indexes and keys.



 Where to find the Data
 Ribbon: Design > Diagram > New > Extended > Data Modeling

 Modeling Diagram
 Project Browser Caption Bar Menu: New Diagram | Extended | Data Modeling

 Project Browser Context Menu: Add Diagram... | Extended | Data Modeling

Usage of the Data Modeling Diagram The Data Modeling Diagram can be used to create database schemas or to view schemas that have been reverse engineered from a live database connection or transformed from a more primitive model. It is a useful diagram to visualize the connections between a variety of database objects. They can also be used to show traces back to other elements such as Requirements, logical Components, and Business Rules.

Options for the Data A schema can be created from scratch, generated by a Model Transformation or

Modeling Diagram reverse engineered from an existing database through an ODBC connection. The schema can contain a range of database objects, including:

- Tables
- Views
- Procedures
- Sequences
- Functions
- Associations
- Database Connections

Primary, Foreign and Unique keys can also be modeled and displayed on the diagram.

There are also several different notations that can be used, including:

- Unified Modeling Language (UML)
- Information Engineering
- Integration DEFinition for Information Modeling (IDEF 1X)

The notations can be interchanged by changing the 'Connector Notation' property.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams, and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.


Learn more about the Data Modeling Diagram Data Modeling Diagram

Database Builder

Getting to know the Database Builder

Introducing the Database Builder

The Database Builder is the primary tool for working with data models. It is a purpose built tool that provides a single interface for performing database-related modeling tasks. New data models and databases can be created or existing ones reverse engineered into the tool. The data modeler, database owner or administrator can work within the tool and can connect through to live databases to synchronize the models with the live databases. There is support for most database management systems and connections can be made to production, pre-production, test or development databases.





A Database Compare tool allows a data model to be compared to a live database and if required to be synchronized accepting the changes in either direction.

The Execute DDL tools allows Database Definition Language (DDL) statements generated from the models to be executed against a live database and for the results to be viewed and analyzed.


Learn more about the Database Builder Database Builder

Decision Tree Diagram

Getting to know the Decision Tree Diagram

Introducing the Decision Tree Diagram

Decision Trees are an effective way of graphically representing a number of options and provide a mechanism to investigate the possible outcomes and benefits of choosing those options. They can also assist the analyst to form a balanced picture of the risks and benefits associated with each possible course of action. They are a close cousin of the Decision Table but have the benefit of being graphical. Enterprise Architect has a purpose built diagram allowing complex decisions to be modeled and displayed including probabilities and uncertainty.



| Where to find the Decision | Ribbon: Design > Diagram > New > Strategic Modeling > Decision Tree | |
|--|--|--|
| Tree Diagram | Project Browser Caption Bar Menu: New Diagram Strategic Modeling Decision Tree | |
| | Project Browser context menu: Add Diagram Strategic Modeling Decision Tree | |
| Usage of the Decision Tree Diagram | Decision Trees can be used to help in decision making processes particularly when the decision involves a complex set of conditions that have different likelihoods of occurrence. They can be used for strategic or operational decision analysis and can help to formalize the basis of decision making particularly when it is imperative that actions that are taken are based on formal analysis or have expensive consequences. A Decision Tree can be used to present a graphical picture of a Decision Table for stakeholders who are more comfortable viewing diagrams rather than tables and documents. | |
| Options for the Decision Tree Diagram | Decision trees can be drawn with varying levels of formality from simple trees with a series of decisions resulting in outcomes to more formal trees that involve uncertainty with probability values assigned or formulaic expressions with input parameters. The 'Decision Tree' toolbox page contains a range of elements that can be used, and two Patterns that can be used to create a diagram giving the analyst a starting point. | |




Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Decision Tree Diagram

Decision Tree Diagram

Decision Table Editor

Getting to know the Decision Table Editor

Introducing the Decision Table Editor

The Decision Table Editor provides a convenient and intuitive way to record the way that decisions are made in an organization or industry. A number of conditions can be defined and columns can be added that contain values, one or more conclusions can be added with applicable columns where the decision value is entered. The Decision Table Editor is based on the Object Management Groups (OMG) Decision Model and Notation (DMN) specification and can be used to generate implementation code using predefined macros.

An analyst will occasionally need to record the way that decisions are made in an organization in a formal way. There is often also the need to express the conditions and the resulting decisions in a way that will assist an implementation team design a solution. The Decision Table Editor built into Enterprise Architect can assist in expressing and implementing the way that decisions are made.


| 1 | 2 | 3 | 4 | 5 |
|------|--------|----------|------------|-----------------|
| <25 | <25 | [2560] | >60 | >60 |
| good | bad | - | good | bad |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| Low | Medium | Medium | Medium | High |
| | good | good bad | good bad - | good bad - good |

| Where to find the Decision Table Editor | Ribbon: Design > Element > Decisions > Manage Decisions |
|---|---|
| Usage of the Decision Table Editor | An analyst will occasionally need to record the way that decisions are made in an organization in a formal way. There is often also the need to express the conditions and the resulting decisions in a way that will assist an implementation team design a solution. The Decision Table Editor built into Enterprise Architect can assist in expressing and implementing the way that decisions are made. |
| Options for the Decision Table Editor | The Decision Table Editor can be used simply to record the conditions and the conclusions that form the basis of decision making. Alternatively implementation code can be generated using the Enterprise Architect Simulation Library (EASL) code generation macros. |
| Learn more about the Decision Table Editor | Decision Table Editor |

Deployment Diagram

Getting to know the Deployment Diagram

Introducing the Deployment Diagram The Deployment Diagram is one of the Unified Modeling Language (UML) Structural diagrams that can be used to model infrastructure including a wide range of deployment environments. Both physical and virtual environments can be modeled including infrastructure and networking services and protocols.



| Toolbox 🗆 🖂 | < |
|--------------------------|---|
| More tools | |
| Deployment | |
| 🗐 Node | |
| Device | |
| Execution Environment | |
| 🖅 Component | : |
| ⊷ Interface | |
| Artifact | |
| Deployment Specification | |
| Package | 1 |
| Deployment Relationships | |
| 🖊 Associate | |
| Communication Path | |
| ✓ Association Class | |
| intervalize 🦯 🗡 🗡 🗡 | |
| . ^N Realize | |
| Deployment | |
| Manifest | |
| 🔎 Nesting | |
| Deployment Patterns | |
| 🚱 Basic Deployment 📃 | - |

There is a toolbox which contains a range of elements, relationships and Patterns for creating Deployment diagrams.

The Deployment Diagram (like any diagram) can be viewed as an element list, which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Deployment Diagram


Deployment Diagram

Document Artifact

Getting to know the Document Artifact

Introducing the Document Artifact

A Document Artifact is like a word processor file that can be created and stored directly inside the model to record structured documentation. It is a light-weight and convenient alternative to creating a document in your favorite word processor. It has many of the features you would expect in a word processing tool and allows you to create hyperlinks to content in the modeling Repository. An analyst will often be required to create structured documentation over and above what might properly be placed in an element's notes or in a corporate document repository. This could include things like interview plans, focus groups agendas, surveys and more. There is rarely a requirement to store this type of documentation in a corporate document repository and storing them inside the modeling repository has many benefits including being able to include hyperlinks to elements and diagrams contained in the Project Browser.



Where to find the
Document ArtifactToolbox: Common, Artifacts, Component, Documentation, Deployment Toolbox
Page | Document ArtifactUsage of the Document
ArtifactA Document Artifact can be used to add structured documentation in the form of a
word processor (rtf) file. This can be a standalone element or it can be linked to
another model element. In large organizations there is often a corporate repository
for documents but in smaller organizations or when a document is less formal the
document Artifact can be a useful mechanism for storing information. For example

it can be used to document or plan a stakeholder workshop or focus group.

Options for the Document Artifact

When a Document Artifact is created there is an option to use a built-in or user defined template. Any number of templates can be created for documents such as focus groups, workshops surveys and plans.

| Mission Vision | |
|-----------------------------------|---|
| System Templates | |
| Defect Audit Deployment Plan | |
| Hardware Decisions | |
| Integration Plan | |
| Mission Vision | |
| Phase Review | |
| Platform Decisions | E |
| Project Checklist Release Plan | |
| Requirements Approval | |
| Resource Plan | |
| Risk Plan | |
| Source Code Review | |
| Test Plan | |
| Test Results Review | + |

Elements and diagrams can be dragged onto the document from the Project Browser, which allows readers to click through from the location in the document to the diagram or element.

Many of the features found in Word Processors are available, such as inserting pictures and tables, creating Tables of Contents and headers and footers, tracking changes to the document and more.

Learn more about the Document Artifact

Create Document Artifact

Documentation

Getting to know Documentation

Introducing Documentation

The documentation features can be used to automatically generate a wide range of documentation directly from the models. These can be document based such as PDF and Docx format or html based. Flexible templates can be used to completely tailor the documents that are generated including company logos, tables of content, tables of element information and diagrams. Ad-hoc reports can also be created from a number of tools such as the Glossary and the Search Window.

| Package: | Functional Requirements |] |
|--------------------|---|---|
| Output to File: | C:\Users\Public\Documents\Functional Requirements.pdf | |
| Template: | Model Report 👻 |] |
| Output Format: | Portable Document Format (PDF) |] |
| Cover Page: | Portrait 💌 |] |
| Table of Contents: | Portrait 👻 |] |
| Stylesheet: | Help Style Sheet |] |
| Diagram Theme: | Ice - Fine |] |
| Watermark: | |] |

Where to find Documentation

Use of Documentation
 Modelers, Analysts, Architects, Project managers and others can use the facility to produce a wide range of document based publications and reports, such as a: System Requirements Specification, Use Case Report, Data Dictionary, Solution Architecture Description and more. It can also be used for Ad-hoc reporting to create reports such as a list of the most volatile requirements. Html documentation can also be published to allow stakeholders who don't have access to Enterprise Architect to view the models from an Intranet site that can just be placed on a file system without the need for a Web Server.
 Options for Documentation
 There are several options that can be set to tailor the information that is included in a generated document, including the ordering of elements and diagrams and

in a generated document, including the ordering of elements and diagrams and hiding certain elements. Filters and word substitutions and other options can also be applied.

| Order | Filter |
|---|--|
| Packages by: Tree Order 👻 Ascending 💌 | Only include objects: |
| Elements by: Modified Dat Descending | Created After O5/06/2015 Where Package Phase: |
| Diagrams by: Name Ascending | > 🔻 3 |
| Options | With element status: |
| ✓ Hide 'note-less' elements ✓ Hide Diagram Borders | ▼ |
| Skip root package Hide non-printable objects | Connector Direction: |
| No <u>b</u> ookmarks | Both 💌 |
| Hide <anonymous> elements</anonymous> | Except where Query excludes Package: |
| Use style defined in template for notes | O Custom SQL O Custom Script |
| Disable large OLE file support | |
| Insert page breaks when generating a Master Document | |
| Include child elements even if the parent element is filtered out | |
| Hide 'note-less' connectors | |
| Diagram Format: Metafile 💌 | |
| Adjust Heading Levels: Heading 9 - | |
| Switch generator | ▼ |

Learn more about Documentation Model Publishing


٠

Element Appearance

Getting to know Element Appearance

Introducing Element Appearance

All elements in the repository have a global default appearance which is defined in the Options Window. Individual elements can set a global appearance which overrides the default setting for all elements and applies to the specified element where ever it appears in diagrams. An element's appearance can also be changed at the level of an individual diagram by using the color and font pickers. Images and other shapes can also be applied to make the element more appealing.



Global for an Element Context Menu: Appearance | Default Appearance

Local for a Diagram Object

Ribbon: Layout > Style > Set Font, Text Color, Fill Color, Line Color, Line Width Diagram Toolbar: Set Font, Text Color, Fill Color, Line Color, Line Width Element Icons: Set Font, Text Color, Fill Color, Line Color, Line Width (top right corner of diagram object)

Usage of Element Appearance The Element Appearance is useful to convey different meaning to a number of audiences and stakeholders. The global element settings ensure the entire repository is by default consistent and these can be changed to suite an organization. The default element appearance settings ensure that an element is consistently represented whenever it is used on diagrams. The local appearance settings allow an element to appear differently on a specific diagram. Some stakeholders will also prefer to see an element represented as an image or by a different shape.

Options for Element Appearance Apart from the setting of Font Style, Text Color, Element Fill and Border Color and Line thickness. elements can be assigned an alternate image or a completely different geometry using the shape script facility and applied to a stereotype. The images can be assigned from the

Learn more about the Element Appearance

Element Browser

Getting to know the Element Browser

Introducing the Element The Element Browser provides a view of all the important aspects of an element Browser including Attributes, Operations, Tagged Values, Files, Internal Requirements, Relationships, Constraints Maintenance and Project Maintenance Items and more. It is a useful window to use in conjunction with the Project Browser as it provides all the details of an element selected in the Project Browser conveniently collected in a single view. Element Browser $\square \times$ Transaction Operations IoadAccountHistory() IoadOpenOrders() Attributes date : Date orderNumber : String Linked Features Tagged Values Constraints Requirements Files Relationships 🐾 Association::Account [Class] 🔧 Association::Order [Class] Realization::Go To Checkout [UseCase] Scenarios Maintenance 🖃 📋 Testing 🖃 聞 Unit 聞 [Not Run] Confirm quantity []] [Deferred] No History 聞 [Not Run] View History 🛅 [Not Run] Zero Quantity Project Management Ribbon: Show > Window > Element Browser Where to find the Element Browser Ribbon: Start > Explore > Element Browser

Usage of the Element Browser The Element Browser can be used to view and to edit all the important aspects of an element. While the Project Browser will help the modeler navigate through and locate elements in the repository, the Element Browser will allow the element to be explored in detail.

Options for the Element The Element Browser can be used to view and edit most of the aspects of an

Browser element. For example, Relationships can be viewed and deleted, Attributes and Operations, Constraints, Project Management and Maintenance items and more can be viewed and new ones created. Having the window open while viewing elements in the Project Browser will give a simple overview of which aspects of the element have been detailed, without the need to expand the + indicator to view the details.

| Element Browser | |
|---|--|
| As a Stock Control Manager I want to be able to list stock level | els for a selection of titles. |
| Operations | |
| Attributes | |
| 🚞 Linked Features | |
| 🖃 📋 Tagged Values | |
| 📎 Volatility = High | |
| 🖃 📋 Constraints | |
| The solution must use available Stored Procedures | |
| 🖃 📋 Requirements | |
| 🖬 Back ordered titles must only be included in total w | hen the available stock is zero. |
| A user must be warned when the report generation | time is going to be more than (|
| 🛅 Files | |
| 표 📋 Relationships | |
| Scenarios | |
| | |
| 🖃 📋 Maintenance | |
| Maintenance Tasks | Add New Defects |
| | Add New Defects Add New Changes |
| □ 📑 Tasks | |
| Tasks [New] Create application logic to display res | Add New Changes |
| □ □ □ Tasks □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ | Add New Changes Add Newssues |
| ☐ Tasks ☐ Tasks ☐ [New] Create application logic to display res ☐ [Verified] Create table index to ensure fast re ☐ [New] Decide on Ux mechanism to multisele | Add New Changes Add New Ssues Add New Tasks |
| Tasks Tasks [1] [New] Create application logic to display res [2] [Verified] Create table index to ensure fast re [3] [New] Decide on Ux mechanism to multisele [4] Decisions | Add New Changes Add New Ssues Add New Tasks Add New Decisions |

New items can be added to the element and existing ones deleted directly from the Element Browser window from the context menu.

Learn more about the Element Browser Element Browser

Element Discussions

Getting to know Element Discussions

| Introducing the Element Discussions | elements posting discussions and | allows modelers to have conversations about replying to exiting posts. The discussions for all iently listed in the Discussions Review window elements with posts. | |
|---|--|--|--|
| | Element Discussions | Ψ × | |
| | REQ116 -The system must email the | he client a copy of the receipt 🔹 | |
| | 🖃 🗟 Frank McIver | 8/05/2015 2:11 PM | |
| | | ustomer to supply an email address the receipt be transmitted? | |
| | Greg Nichols | 8/05/2015 2:14 PM | |
| | | ndatory field unless it is stored in the either way we will have it. | |
| | Post Reply | | |
| | Create new Discussion | | |
| Where to find Element Discussions | To post or view an element's discu | ussion | |
| | To view all discussions in the repo | ository | |
| Usage of Element Discussions | without 'polluting' the element's ne comments such as 'Properties need feature brings the collaborative m | ers to have conversations about elements otes with questions and modeling level d to be added before the first release'. This odeling platform alive where modelers can add nts emulating the discussions held in a physical | |
| Options for the Element Discussions | The Discussion Review window has a number of options to tailor the discussions that are listed including defining the timeframe allowing older and perhaps less relevant discussions to be hidden. | | |
| | Visible Timeframe | Today | |
| | Show Preview Pane | V 7 Days | |
| | Refresh | 30 Days | |
| | | 90 Days | |
| Learn more about Element Discussions | Informal Element Discussions | | |

Entity Relationship Diagram

Getting to know the Entity Relationship Diagram


Introducing the Entity Relationship Diagram The Entity Relationship Diagram is a visual device used to model information or data and is used as a schema that is a precursor to database modeling. There are a number of different representations that can be used but the style used in Enterprise Architect uses rectangles to represent Entities, ellipses to represent Attributes and diamonds to represent connections between Entities.

Entity-Relationship Diagrams


Entity Relationship Diagrams in Enterprise Architect are based on Chen's ERD building blocks: Entities (tables) are represented as rectangles, Attributes (columns) are represented as ellipses (joined to their entity) and Relationships between the entities are represented as diamond-shape connectors.

ERD technology in Enterprise Architect assists you in every stage, from building conceptual data models to generating Data Definition Language (DDL) for the target DBMS.

Entity-Relationship Diagrams are available from the category 'Entity Relationship Diagrams'.



| Where to find the Entity Relationship Diagram | Ribbon: Design > Diagram > New > Entity Relationship Diagram > Entity Relationship | | |
|--|---|--|--|
| | Project Browser Caption Bar Menu: New Diagram Entity Relationship Diagram Entity Relationship | | |
| | Project Browser context menu: Add Diagram Entity Relationship Diagram Entity Relationship | | |
| Usage of the Entity Relationship Diagram | They are used by some data modelers as a way of ensuring independence from the physical data models that are used to represent the schema of a given Relational Database Management System database. They also provide a more appealing means of communicating with non technical stakeholders. | | |
| Options for the Entity Relationship Diagram | Entity Relationship Diagrams can be drawn to include all of the Entities in a given domain in a single diagram or, alternatively, a number of diagrams can be created for different aspects of the domain. Diagram Filters can be used in presentations to focus on specific parts of a diagram that are of interest to the audience. The Documentation Generator can also be used to produce a data dictionary describing the Entities, their Attributes and their relationships with other Entities. | | |



There is a toolbox which contains a range of elements, relationships and Patterns for creating Entity Relationship diagrams.

The Entity Relationship diagram (like any diagram) can be viewed as an element list, which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams, and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Entity Relationship Diagram Entity Relationship Diagram

Flow Chart Diagram

Getting to know the Flow Chart Diagram

Introducing the Flow Chart Diagram

The Flow Chart Diagram is a strategic diagram that allows the steps in a process, workflow or algorithm to be ordered in a sequence and displayed graphically. The steps are modeled as rectangles and choices are modeled as diamonds, there are inputs and outputs and data stores available for modeling the things that are consumed, produced and stored by the process.

Flow Chart Diagram

A Flow Chart is a graphical representation of a sequence of events, helping decision makers understand the relationship between their decisions and a given outcome. Flow Charts use a range of simple geometric shapes to represent a process, decision, storage or output.

Flow Chart diagrams are available from the 'Strategic Modeling' category. The associated toolbox offers a range of elements and connectors that specifically target that diagram type.




Diagram communicating about the steps and outcomes in workflows, processes and computer algorithms.

Options for the Flow
Chart DiagramFlow Chart Diagrams can have nested Activities allowing hierarchies to be
defined. Responsible parties can be defined by the use of swim lanes.

| Toolbox | κ 🗆 | х |
|-----------|--------------------|---|
| | More tools | |
| 🗆 Flo | ow Chart | |
| | Begin | |
| | End | |
| | Process | |
| | Defined Process | ≡ |
| | Input/Output | |
| \supset | Storage | |
| | Decision | |
| 0 | On Page Connector | |
| | Off Page Connector | |
| 0 | Display | |
| | Report | |
| 100 | Annotation | |
| ~ 7 | Connector | |
| 🗆 Pa | tterns | |
| •2 | Flow Chart | - |

The Flow Chart Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Flow Chart Diagram

Flow Chart Diagram

Gantt View

Getting to know the Gantt View

Introducing the Gantt View

The Gantt View is a tool for visualizing the elements in a Project, Package or Diagram and the resources that have been allocated to them. There are a number of different Gantt charts available:

- The Project Gantt View used to view elements across the entire repository
- Diagram Gantt View used to display the allocation of resources to the elements in a given diagram.
- Package Gantt View used to display the allocation of resources to the elements contained in a selected Package.

The tool will empower the traditional or agile project manager to ensure that a projects resources are allocated to repository content and help ensure high value outcomes are achieved right from within the repository.



| Where to find the Gantt View | Ribbon: Design > Package > Gantt View Ribbon: Design > Diagram > Gantt View Diagram Context Menu: Gantt View |
|---------------------------------|---|
| | Project Browser Context Menu: View as Gantt |
| Usage of the Gantt View | The Gantt View's primary use is to display the allocation of resources to elements in the repository and to mange the work breakdown structure. There are a wide range of views and filters that can be applied to tailor the view or to make it more relevant to a particular audience. Allocations can be made to any elements in the repository from high level Packages level down to an individual element such as a Class, Activity or Change. It is a powerful tool for a project managers wanting to visualize how a team is being utilized and ultimately to deliver high value and high priority outcomes. Modelers working on a project can view their own work and update their progress while working on assigned tasks. |
| | While broad changes can be made using the visual duration bars in the Gantt View it is common practice to use the tool in conjunction with the Resource Allocation |

window where fine details can be entered and adjusted.

Options for the Gantt View The Gantt View is a highly flexible tool that can be configured to display information in a number of different ways. Filters can be used to show only elements that have a particular status or more generally by using the Filter Bar and finding elements that contain the specified filter text in a particular column. It is also possible to filter the display by Start or Completion date or to just show overdue tasks.

Broad changes can be made to the duration of tasks by simply dragging the ends of the visual bars. The scale of time can be altered on the display to allow short and long term planning and to get condensed and expanded views.

The Gantt chart can conveniently be copied to the clipboard and pasted in to other applications or saved into a file. There is a wide range of other options that are available, making the tool invaluable to a team and schedule-based approach to modeling.

| | Refresh | | |
|---|--|--------------|---------|
| | Show Task Properties | | |
| | Go To 🔸 | | |
| | Display Highlight for Overdue Items | | |
| | Include Completed Tasks Within the Last | \checkmark | 7 Days |
| | Display Future Tasks Starting in | | 30 Days |
| | Apply Element Status Filter | | 90 Days |
| | Find in Project Browser | | All |
| | Show Element Resource Allocation Window Ctrl+Shift+7 | | None |
| | Find Task in Element Resource Allocation Window | | |
| | Save Image to File | | |
| | Copy Image to Clipboard | | |
| 0 | Help | | |

Learn more about the Gantt View Gantt View

Gap Analysis Matrix

Getting to know the Gap Analysis Matrix

Introducing the Gap Analysis Matrix

The Gap Analysis Matrix is a specialized Relationship Matrix that is used to record the gaps that exist between two versions of some part of an enterprise. The gaps between two different version of an architecture could be recorded, or the gaps in two versions of Capabilities or Staff Competencies, or two versions of Information or Data. The tool is structured like a spreadsheet with columns and rows. The elements that make up the baseline (starting point) are listed as columns and the elements that make up the target (end point) are listed as rows. There is a column for recording missing or eliminated elements and a row for recording new elements. At the intersection of a baseline element and target element notes can be added that describe any details of the relationship between the two elements.

| | Trentt | The last | | | | |
|-----------------------------------|-----------------------------------|---|---|---|---|-----------------|
| arget Architecture: | | Filter: ABB | • | | • | <u>R</u> efresh |
| aseline Architecture | ; Baseline1 | Filter: ABB | • | Record Gap As: | | Options |
| Target Baseline | Video Conferencing Services | Enhanced Telephony Services | Mailing List Services | Missing / Eliminated | | |
| Broadcast Services | | | | Retired service : Intentionally eliminated | | |
| Video Conferencing Services | Included | | | | | |
| Enhanced Telephony Services | | Potential match | | | | |
| Shared Screen Services | | | | Address Shared Screen Service : Unintentionally eliminated | | |
| New | | Improve Telephony service : To be enhanced | Mailing List : New-To be produced or developed | | | |

Where to find the Gap Analysis Matrix

Usage of the Gap Analysis Matrix

Ribbon: Design > Impact > Gap Analysis

The Gap Analysis Matrix can be used for both business and technical analysis. It is a general purpose tool for recording the details of a comparison between different versions of some part of an enterprise. In business analysis it can be used to analyze Staff Competencies, Data and Information, Business Processes, Lines of Business and more, comparing them between current and future states of an enterprise. In Enterprise Architecture the matrix can be used to record gaps between baseline, transition and target architectures, comparing Capabilities, Architecture and Solution Components and more.

Options for the Gap Analysis Matrix The Gap Analysis Matrix can be configured to display different parts of the repository. Once the appropriate packages have been chosen for the Target and Baseline and the types of elements have been selected for the filter the Gap element type can be selected. The element chosen for the gap will restrict the available elements to represent the gap for Missing or New elements in cells in the matrix. There are a number of choices available from the 'Options' menu, including being able to update, delete and save the Gap Analysis Matrix, giving it a name so that it can be recalled at a later time.

> Update Current Profile Save as New Profile Delete Current Profile Help...

Learn more about the Gap Analysis Matrix Gap Analysis Matrix

Glossary

Getting to know the Glossary

Introducing the Glossary

The Glossary is a project level lexicon of the important terms and their meanings categorized by type. Any number of terms, their types and meanings can be defined and these can be referenced from the notes of model elements. The terms can be included in documentation or generated as a stand-alone report. When working with domain specific requirement specifications, architectures and other models it is essential that new terms and over-ridden meanings for common words or phrases are kept in a suitable dictionary format to ensure proper understanding of documentation and specifications.

| Glossary Item Details | |
|---|------------------------|
| Te <u>m</u> : | Туре: |
| Stock Item | Business 💌 |
| Meaning: B $I \ \underline{U} \ \underline{A} \mid := \frac{1}{3} = \times^2 \times_2$ The Stock Item defines the items (books) that are stocked | d in the warehouse for |
| on-line purchase. | a in the warehouse for |

Where to find the Glossary

| Usage of the Glossary | The project Glossary can be used to record the important terms of a project or |
|-----------------------|---|
| | domain grouped by the type of term, allowing business, technical and domain |
| | specific types to be defined. A glossary report can be generated as a stand alone |
| | report or the glossary can be included as a section of another document. |

The Glossary has a number of options to determine the terms that are displayed in **Options for the Glossary** the list and to define the style that is used for types of terms in documentation.

| <u>°</u> | Add New | | | | |
|----------|----------------------|--|--|--|--|
| | Assign Markup Styles | | | | |
| | Modify Selected | | | | |
| | Field Chooser | | | | |
| | Enable Group Box | | | | |
| ρ | Toggle Filter Bar | | | | |
| | Rename Type | | | | |
| | Set term filter | | | | |
| | Print List | | | | |
| × | Delete | | | | |
| | | | | | |

Learn more about the

Model Glossary


Glossary

Hand Drawn and Whiteboard Mode

Getting to know Hand Drawn and Whiteboard Mode

Introducing Hand Drawn and Whiteboard Mode Hand Drawn and Whiteboard Mode are display options available for any diagram that changes a system-drawn diagram to appear as though it was drawn by hand and, optionally, hand drawn on a whiteboard. It is a powerful device to engage an audience by presenting the diagram in a rough and more immediate style giving the impression that it is just a sketch that can be changed.

Both modes will present the diagram in a hand drawn style but the whiteboard mode will change the Fill color of the elements and the diagram background to white as though it had been drawn on a whiteboard.



| Where to find the Hand Drawn and Whiteboard Mode | Ribbon: Layout > Diagram > Appearance > White Board, Hand Drawn Diagram Context Menu: Properties Diagram Whiteboard Mode, Hand Drawn |
|--|---|
| Usage of the Hand Drawn and Whiteboard Mode | The Hand Drawn diagram mode is a perfect tool for use in workshops and presentation to internal or external customers as a way of softening the representation of more formal elements which are normally displayed in their more rigid geometric forms. Audiences will tend to respond to the diagrams more favourably as they appear to be just sketches and not yet resolve as finished diagrams. Stakeholders who are not familiar with the formal modeling languages such as UML will typically be more engaged by these diagrams. |
| | The Whiteboard mode will give the appearance that the diagram was sketched on the whiteboard again adding an immediacy to the drawing. |
| | Both the Whiteboard Hand Drawn mode of presentation can be carried through to generated documentation that contains the diagram. |
| Options for the Hand Drawn and Whiteboard Mode | The Whiteboard mode will give the appearance that the diagram was sketched on the whiteboard again adding an immediacy to the drawing. Both the Whiteboard Hand Drawn mode of presentation can be carried through to |

generated documentation that contains the diagram.

Hand Drawn and Whiteboard Mode

Learn more about the Hand Drawn and Whiteboard Mode

Image Manager


Getting to know the Image Manager

Introducing the Image Manager

The Image Manager is used to manage pictures in the Repository, allowing them to be maintained and reused across diagrams. Images can be inserted in a variety of formats including Bitmaps and Extended Windows Metafiles are then used to change the conventional appearance of elements to create more appealing and compelling diagrams.

| ame | File Type | Reference | | Preview |
|---|-------------------------------|-----------|---|-----------------|
| aptop | Metafile | Global | | |
| .aptop-Multiple | Metafile | Global | | |
| .aptop-Spare | Metafile | Global | | |
| .CD Monitor | Metafile | Global | | |
| .egal Department | Metafile | Global | | |
| icensing Site | Metafile | Global | | |
| .ock | Metafile | Global | | |
| .ock & Key | Metafile | Global | | |
| Mail | Metafile | Global | | View |
| Mail List | Metafile | Global | ≡ | |
| Mail Room | Metafile | Global | | <u>U</u> sage |
| Mainframe | Metafile | Global | | Rename |
| Mainframe-Multiple | Metafile | Global | | |
| Management | Metafile | Global | | Add New 🔻 |
| Manufacturing | Metafile | Global | | Update Selected |
| Marketing | Metafile | Global | | |
| Mobile Phone | Metafile | Global | | <u>D</u> elete |
| Modem | Metafile | Global | | |
| Packaging | Metafile | Global | | Close |
| Patch Panel | Metafile | Global | | ОК |
| Payroll | Metafile | Global | - | |
| (iii iii iii iii iii iii iii iii iii i | | | | Help |

| Where to find the Image Manager | Defining Images Ribbon: Configure Reference Data Images |
|------------------------------------|---|
| | Using Images Element Context Menu: Appearance Select Alternate Image |
| Usage of the Image Manager | The Image Manager's main use is to define pictures that can be used as alternate representation for elements in diagrams. For many business and networking diagrams the default appearance of an element such as a UML Class or Component can be replaced with an image from the Image Manager making the diagram more appealing to its audience. The Image Manager will also store images that are defined in included technologies. |
| Options for the Image Manager | The Image Manager allows Images to be imported in a variety of formats including Bitmaps and Extended Windows Metafiles. Images can be imported from the file system or conveniently from the Clipboard. |



There is also an option to display the diagrams where the image has been used.

Learn more about the Image Manager Image Manager

Import and Export Spreadsheets

Import and Export Spreadsheets

Introducing Import and Export Spreadsheets

This facility is a useful mechanism to import Requirements that have been defined in a Spreadsheet or a Word Processor table into Enterprise Architect. Once in Enterprise Architect the Requirements can be managed and traced to elements such as business drivers and Scenarios and Components. Alternatively Requirements in Enterprise Architect can be exported to a Spreadsheet for the purposes of providing them to a third party or for some type of numerical or statistical analysis. The mapping between fields in the Spreadsheet and the analogous properties in Enterprise Architect is completely configurable using a specification.

For more detailed information exchange, the Microsoft Office Add-In (available from Sparx Systems) provides additional functionality and integration points useful when dealing with complex Requirements.

| | Package: | Functional Requirements | |
|---|---|---|--|
| | Specification: | Online Store Requirements | |
| | <u>F</u> ile: | C:\Users\Public\Documents\Online Store Requirements.csv | |
| | Types: | Requirement | |
| | Code Page: | 65001 (UTF-8) | |
| | | Action | |
| Where to find Import and Export Spreadsheets | | | |
| Use of Import and Export Spreadsheets | This feature can be used to import or export Requirements from a CSV file. Befor a tool like Enterprise Architect is installed analysts might have used a Spreadsher or a table in their favorite word processor to record requirements; these can conveniently be imported using the CSV import facility. Alternatively, Requirements sometimes have to be provided to a third party who will typically specify that they want them in a Spreadsheet file: this can be achieved using the | | |

Options to Import and Export Spreadsheets The import and export facility is completely configurable and has a user defined specification that can be used to determine how fields in the Spreadsheet file are mapped to Requirements properties in Enterprise Architect including being able to import and export fields to and from Tagged Values of the Requirement.

export facility.

 Learn more about Import and Export Spreadsheets
 CSV Import and Export

Info View

Getting to know the Info View

| Introducing the Info View | The Info View is an alternative representation for an element that is typically more appealing to managers or non-technical stakeholders. The Info View displays the name, stereotype, notes and a small icon that represents the shape of the element. Other element properties can be displayed by using the Visible Properties window. |
|---------------------------|--|
| | REQ156 - The solution must be able to manage leads from initial enquiry through to a customer order Requirement «evaluation criteria» Validated Version: 1.0 Phase: 1.0 |
| | The current system has two separate databases, one for leads and one for customers and it is not possible to connect them due to disparate keys. Much time is wasted re-keying details of a lead into the customer database, errors are made and leads are lost. The new system must have a single view of a lead and a customer. |

| Where to find the Info | Element Context Menu: Info View Enabled | | | |
|---------------------------|---|--|--|--|
| View | Element Context Menu: Info View Visible Properties | | | |
| Usage of the Info View | The Info View is a useful alternative representation of an element in a diagram which is often appealing to managers and high level stakeholders. The Info View will show the name of the element, a small Icon that signifies the type of element, additional properties and the element's notes. It is useful in situations where the audience of the diagram does not need to know about the details such as Attributes, Operations, Database Columns, and other details. | | | |
| Options for the Info View | The properties that are displayed by the Info View representation can be configured to make the element more meaningful to particular audiences. The | | | |

| Visible Properties | × |
|--------------------|-----------|
| Items | |
| 📝 Туре | |
| Stereotype | |
| Status Version | |
| Phase | |
| Author | |
| | |
| | |
| | OK Cancel |

Visible Properties windows allows properties to be selected for display.

A portion of the notes will be displayed using the available space in the Info View; if all the notes need to be displayed the diagram element can be resized to provide space for the text.

Learn more about the Info View Info View

Insert Related Elements

Getting to know Insert Related Elements

Introducing Insert Related Elements

Insert Related Elements is a powerful productivity and exploration tool that allows diagrams to be created automatically from relationships that exist in the repository. Typically elements are added to the repository by a number of modelers and no single person will be totally aware of all the elements in the repository and their relationships. By placing a single element onto a diagram that acts as a context (or starting point) the Insert Related Elements facility can be used to explore the element's connections and to automatically draw a diagram using the context element as a starting point. This will almost seem like magic and powerful and expressive diagrams can be created that a modeler will not have seen before or not thought of creating.

| A 🚈 - 💁 - 🚘 - 1 👘 | Ý 🏄 | Defau | ilt Sty | yle 🍸 | ♥ - 🗠 ‡ | 비 뀨 호 | 🛓 🖫 🖫 🕴 🖇 | k - | × | |
|---------------------------|------------|--------------------|---------|--------------------|---------------|-----------|-----------------|--------------|------------|---|
| Stock Control Mag ager | 🔳 In | sert Relat | ed El | lements | | | | | | × |
| | Con | nector typ | | | ^ | Fleme | nt types: | | ^ | |
| | | ssociatio | | | V | Ad | | | | |
| aa 🛛 🔪 🖊 🦉 👘 | | | | | | | - | | | |
| | ⇒ S | → SequenceFlow 🗸 🔷 | | | 🔷 Ga | teway | | \checkmark | | |
| Stock Control | | | | | | | | | | |
| K | | | | | | | | | | |
| | Link D | irection: | | Outgoing | - | Find rela | tionships to: 2 | - | levels | |
| | | | | | | | | | | |
| | Limit to | Namespa | ice: | <none></none> | | | | | | - |
| | | | | | | | | | | |
| | All | Clear | | | | | | Refresh | Clear | |
| | | | | | | | | | | |
| | Drag | g a colum | n hea | ader here to group | by that colum | nn. | | | | |
| | | - | | · · · | | | | | | |
| | | Depth | Nan | ne | | | Package | | In Diagram | |
| | | 1 | 0 | As a Stock Control | Manager I wa | int to | User Stories | | No | |
| | | 1 | 8 | Inventory Manage | r | | Application Ti | er | No | |
| | | 2 | _ | REO171 - The solut | | w stor | | | No | |
| | | | | | | N SLOC | | | | |
| | | 2 | _ | Johnny Cavair-Parl | | | Out of Scope | | No | |
| | | 2 | | Theresa Borantoni | | | Out of Scope | Stakeho | No | |
| | | 2 | | Zoe Uppleton | | | Out of Scope | Stakeho | No | |
| | | 1 | 0 | Check Stock Availa | bility | | Order Manag | ement | No | |
| | | 2 | | Stock Available? | | | Order Manag | ement | No | |
| | | - | | | | | 2 | | | |
| | | | | | | | | | | |

| Where to find Insert Related Elements | Ribbon: Design > Element > Insert Related On diagram Element Context Menu Insert Related Elements |
|--|--|
| Usage of Insert Related Elements | The Insert Related Elements facility can be used to create a diagram automatically from its relationships in the repository, including the relations of the related elements themselves down to a deeper level. It can also be used as a discovery tool where the modeler wants to explore a model (or part of a model) they might not be familiar with. It is also useful in workshops when a number of model authors or other stakeholders are present to show the traceability between different parts of a repository. |
| Options for Insert Related Elements | Insert Related Elements has a flexible interface that allows the modeler to configure what types of relationship to include in the discovery and the direction of those relationships, the types of related elements to be included, the depth of the graph traversal and more. The related elements can be related to a specified namespace and once a set of related elements has been listed the modeler can choose which elements to insert into the diagram. A depth of 1 will just include the elements directly related to the context element, a depth of 2 will include the directly related elements and any elements directly related to them and so on up to |

| a depth of 5. |
|---------------|
|---------------|

| 📧 Insert Related | d Elements | | | > | | | |
|--|---------------------|------------|--------|------------|--|--|--|
| Connector types: Image: Connector types: Aggregation Image: Component Association Image: Component Dependency Image: Component Image: Component Image: Component | | | | | | | |
| Package | | | | f | | | |
| Depth I | Name | Package | | In Diagram | | | |
| Package: Actors | | | | | | | |
| 3 | 📍 Products Manager | Actors | | No | | | |
| 🔲 3 🍷 Chief Editor | | Actors | | No | | | |
| Package: Application Tier | | | | | | | |
| 1 | 🛂 Inventory Manager | Applicatio | n Tier | No | | | |

There is also the option to allow the tool to layout the diagram after the elements have been inserted.

Learn more about Insert Related Elements Insert Related Elements

List View

Getting to know the List View

Introducing the List View

The List View is a powerful tool for viewing the contents of a package or a diagram as a list of elements; allowing the elements' properties to be viewed and edited in a convenient spreadsheet like view. Many analysts will prefer to view elements in a list and when details are changed the changes will be effective in every other view of the element including diagrams and the Project Browser.

There are a wide range of options for filtering, sorting and grouping elements in the list based on a wide range of properties and tagged values.

| Sta | | Store Domain \times | | | |
|------------|------------------------------|-----------------------|-------------|------------------------------|-------|
| • | « Information M | odels 🔸 Book Store I | Domain 🕨 | Find Package | |
| | | | | | |
| Statu | из Луре | | | | |
| • | Name 💌 | Status - | t Type | Modified | • |
| | Type: Class Reader Review | American | Class | 1/17/2016 | |
| _ | | | Class | 1/17/2016 | |
| | Review | Approved Approved | Class | 1/17/2016 | |
| | Item | Approved | Class | 12/15/2015 | |
| | Type: Enumeratio | | | 12/13/2013 | |
| E | Category | Approved | Enumeration | 1/17/2016 | - |
|) Sta | tus: Proposed | | | | _ |
| Ξ | Type: Class | | | | |
| | Catalog | Proposed | Class | 11/2/2015 | |
| | Cart Item | Proposed | Class | 8/17/2015 | |
| | Address | Proposed | Class | 11/2/2015 | |
| | | | | | |

| Where to find the List | Ribbon: Design > Package > List View | | | | |
|------------------------|--|--|--|--|--|
| View | Diagram Context Menu: List View | | | | |
| | Project Browser Context Menu: View as List | | | | |
| Usage of the List View | The List View can be used to get a different view of the elements contained in Project Browser or a diagram and to visualize their properties in a single spreadsheet like view. It is particularly useful when dealing with non technical audiences or when the elements need to be serted. Filtered or grouped based on | | | | |

audiences or when the elements need to be sorted, filtered or grouped based on criteria such as Name, Status, Phase Version and more. Project Managers and others working with sets of elements will be able to anlalyze in a given package or diagram. There is also a related Gantt View where resource allocations, work completion and timings can be visualized.

Options for the List View Additional properties can be added by using the Field Chooser and Tagged Value columns can also be added allowing a modeler to view the elements' native properties and Tagged Values side-by-side. The elements in the list can also be exported to a document report using any number of built-in or user defined

contained in the

| | Properties Edit Notes (Ctrl+Shift+Space) | | Cla | ISS | 19-Jan-13 | |
|----------|--|------------|------------|--------------------|-----------------------------|--|
| _ | | | Cla | ISS | 04-Feb-13 | |
| | | | GU | llElement | 29-Feb-16 | |
| 1 | Create Linked Document | Ctrl+Alt+D | GU | llElement | 29-Feb-16 | |
| <u>e</u> | Add New Element | | GU | llElement | 29-Feb-16 | |
| | Find in Diagrams Find in Project Browser Bookmark Item Switch to Gantt View | | GU | llElement | 29-Feb-16 | |
| | | | GU | llElement | 29-Feb-16 | |
| | | | GU | llElement | 29-Feb-16 | |
| | | | GUIElement | | 29-Feb-16 | |
| | | | GU | llElement | 29-Feb-16 | |
| | | | GUIElement | | 29-Feb-16 | |
| | Documentation | | | Generate Documenta | tion for each selected Item | |
| | Sort Contents | | Ger | | tion for selected Items | |
| | Reload | | ÷ | Print | | |
| | Add Tag Value Column | | Sta | τe | 30-Jan-10 | |
| | | | Class | | 19-Jan-13 | |
| | Columns Layout | • | Sta | teMachine | 30-Jan-10 | |
| | Delet | | GUIElement | | 29-Feb-16 | |
| Ö | Print | | Class | | 04-Feb-13 | |
| × | Delete Selected | | Scr | een | 29-Feb-16 | |
| | | | Cla | 155 | 19-Jan-13 | |
| 0 | Help | | GU | llElement | 29-Feb-16 | |

templates and generating to a variety of formats including Docx, PDF and RTF.


Learn more about the List View List View

Maintenance Items

Getting to know Maintenance Items

Introducing Maintenance Items

Element Maintenance Items can be used with any element, including Requirements, Components, Classes and other elements to capture problems, changes, issues, tasks, events and decisions that affect an individual element. Using maintenance items to track official changes, additions and deletions to sets of Requirements, Components, User Stories and other specifications provides a sound basis for overall project governance and traceability.




Where to find Maintenance Items

| Usage of Maintenance Items | Element Maintenance Items can be used to record a wide range of information about elements including: changes, issues and tasks and more. These can be used to track the way an element is altered and maintained and can provide information about the Item including the rationale for the alteration, status and priority. While the Baseline and Auditing features record what has changed automatically the Maintenance Items provide the flexibility for a modeler to specify details manually. |
|---------------------------------------|---|
| Options for Maintenance Items | There are a range of maintenance items that can be used to add information to elements these include: Defects, Changes, Issues, Tasks, Decisions and Events. Items can have information such as who requested the item, who completed the item and status and priority. |
| Learn more about Maintenance Items | Maintenance Items |

Mind Mapping Diagram

Getting to know the Mind Mapping Diagram

Introducing the Mind Mapping Diagram The Mind Mapping Diagram is a useful tool for recording ideas, thoughts and information in a simple and understandable format. The diagram is a type of spider (or radial) diagram where a Central Topic or idea is typically located at the centre of the diagram and Main Topic, Topic and Sub-Topics radiate out as the ideas are explored and recorded.



An analyst will often be required to take notes or record ideas (including their own) and information in the context of meetings, workshops and focus groups. The Mind Mapping diagram is a useful tool and its simple and appealing layout makes it accessible to everyone. Regardless of what formal languages or frameworks are being used to articulate requirements and processes and other artifacts the Mind Mapping diagram requires little or no explanation.

| Where to find the Mind | Ribbon: Design > Diagram > New > Mind Mapping > MindMapping Diagram |
|--------------------------------------|---|
| Mapping Diagram | Project Browser Caption Bar Menu: New Diagram Mind Mapping MindMapping Diagram |
| | Project Browser context menu: Add Diagram Mind Mapping MindMapping Diagram |
| Usage of the Mind Mapping Diagram | A MindMapping Diagram can be used to record ideas and information in the context of a workshop, focus group, meeting or even to get your own thoughts down. It becomes a compelling visual record of the communication and discussions and often acts as a precursor to more formal techniques such as requirements articulation, Architecture modeling database design and more. Requirements and other elements such as Capabilities, Acceptance Criteria, design Components, User Stories and more can all be traced back to Topics and Sub-Topics in a MindMapping Diagram. |

Options for the Mind Mapping Diagram

A MindMapping diagram can be made more expressive with the use of images and colors. The appearance of the Central Topic and Main topics could use an image that visually communicates the central idea. Colors can be applied to communicate concepts such as the importance or the owner of an idea or any other concept. Dependency relationships can be added to show how ideas relate to each other; for example, which stakeholders have specific interactions or which services depend on other services.

The MindMapping Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier.



Diagram Filters can also be used when presenting the diagrams, to draw attention to parts of the diagrams. The diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Mind Mapping Diagram Mind Mapping Diagram

Model Mail

Getting to know the Model Mail

Introducing the Model Mail

Model Mail is a mail system internal to the Enterprise Architect repository that allows users to send and receive mail messages. One of the important advantages that Model Mail has over other mail systems is that it is possible to embed hyperlinks to parts of the repository, allowing the recipient to click through to the diagrams, matrices, elements, Packages, reviews and more.

| <u>T</u> o: | Greg Nichols <_gregnichols>, F | Paulene Dean <_paulenedean | > | | | * |
|---|---|----------------------------|-------|---|--------------|---|
| Subject: | Stakeholder Workshop Diagrams and Matrices | | | | | |
| | 🍓 Insert Quick Link 👻 | | Flag: | ٣ | Green | - |
| B I U | ¾ !Ξ ½Ξ ײ ×₂ 🍓 | | | | | |
| Hi Greg an | d <u>Paulene</u> , | | | | | |
| month to h conference we should record the <u>Diagrams</u> <u>Current Bu</u> | As you know the Stakeholder workshop next week is critical as it is the only opportunity this month to have all the stakeholders in the same room (Jenny and Ming will attend via video conference). I have attached hyperlinks to the important diagrams and matrices that I think we should be discussing. Also there is a link to the mind mapping diagram that I will use to record the decisions in the workshop. Diagrams Current Business Processes Order Management | | | | | |
| | nd Business Rules I Requirement Feature Traces | | | | | |
| Potential S | Stakeholder Analysis | | | | | |
| Matrix Evaluation | n Criteria x Solution Options - | CRM | | | | |
| warm rega | | | | | | |
| Jane ward | | | | | | - |
| | | | | | <u>S</u> end | |

Most initiatives are carried out by a team of people, and critical to their success is good communication. With a fully featured tool such as Enterprise Architect, it is typical for team members to perform a lot of their work inside the tool; having mail internal to the repository provides a lot of advantages. The Model Mail facility allows team members and others using Enterprise Architect to send and receive mail messages including hyperlinks to repository content.

| Where to find the Model | Ribbon: Start > Today > Mail |
|-------------------------|---|
| Mail | Ribbon: Construct > Project > Discussion > Model Mail |
| Usage of the Model Mail | Model Mail can be used to send and receive mail messages internal to the model allowing team members and other stakeholders to communicate effectively about the model and its content. A typical scenario might be a team member sending a |

message with a link to a set of Requirements to a number of people asking for their comments.

Options for the Model
MailModel Mail has the option to insert links to a variety of repository items including:
Diagrams, Matrices, Images, Searches, Help Topics, Attributes, Operations, Team
Reviews and More.



Learn more about the Model Mail Model Mail

Model Search

Getting to know Model Search

Introducing Model Search

The Model Search facility is a powerful and flexible tool for finding anything in the modeling repository. An object can be located regardless of what a user is looking for, whether it is the name of an element, text in element notes, a Tagged Value or properties such as when an element was created, who created it, what its status is, and more. The facility includes a wide range of built-in searches that can be used or a user can define their own searches using the Query Builder, SQL Builder or by defining an Add-in Search.

| \gg | Find in Project | | | | ~ | | • | × |
|-----------------|-------------------------|----------------|-------------|--|----|-----|----|----|
| | Find in Project × | | | | | | ⊲ | Þ |
| Common Searches | | | ▼ Simple | | | ise | | |
| Dr | ag a column header here | to group by th | nat column. | | | | | |
| | Stereotype | Status | Туре | Object 🔷 | P | S. | С | N |
| 0 | Activity | Proposed | Activity | Acquire Forklift | з. | Ρ. | 4. | 4. |
| 0 | Activity | Proposed | Activity | Check Stock Availability | 1. | Ρ. | 2. | 2. |
| | Topic | Proposed | Class | Inter-warehouse transfers performed | з. | Ρ. | з. | 4. |
| × | Functional | Validated | Issue | Leaving out Inventory Domestic Trans | з. | Ρ. | 1. | 1. |
| 0 | Activity | Proposed | Activity | Pick Item | з. | Ρ. | 4. | 4. |
| 2 | Functional | Approved | Change | Pick list order should be controlled b | з. | Ρ. | 4. | 4. |
| 1 | Functional | Proposed | Requirement | Reduce wasted time sending messag | 1. | Ρ. | 5. | 2. |
| 1 | FunctionalRequirement | Validated | Requirement | REQ168 - The solution must allow ite | з. | Ρ. | 1. | 1. |
| 1 | FunctionalRequirement | Approved | Requirement | REQ169 - The solution must allow ite | з. | Ρ. | 1. | 1. |
| ii | Topic | Proposed | Class | RFID Inventory Tracking | з. | Ρ. | 6. | 6. |
| | | | | | | | | |

With a number of analysts and others working on creating or importing content into the repository the number of elements will increase rapidly and before long even with a well organized model it will not be possible to remember where all the elements are located. The search facility can be used to locate information easily no matter where it is in the model.

| Where to find Model Search | Ribbon: Start > Explore > Search > Search in Model Ribbon: Design > Element > Manage > Search Model The Model Search facility can be used to find anything that exists in the repository. It can be used to return a set of elements that meet specified criteria for example in preparation for an iteration to get the list of all Requirements that were created in the last two weeks that have a Status of Validated and that have a Difficulty value of Low and a Priority of High. The result set can be sorted, documentation can be generated and individual elements can be Book Marked, or located in the Project Browser or in all the diagrams in which they appear. | | | | |
|-------------------------------|---|--|--|--|--|
| Usage of Model Search | | | | | |
| | Searches can be used as the basis of a number of other tools such as Model Views, the Documentation Generator and more. | | | | |
| Options for Model Search | A user can choose to use predefined searches or create their own user defined searches. Searches can be defined using three different tools: the Query Builder which is screen driven and easy for most non-technical analysts to understand or using the SQL Builder which uses SQL or by creating an Add-in Search which | | | | |

requires some programming.

The Query Builder is the most intuitive of the tools and allows a user to build up their own query adding one or more filters to restrict the set of elements that will be returned.

The Search Facility can be configured to query a single package (and its sub-Packages if required) or to search the entire Repository.

| 6 | • 🐵 |
|---|---------------------------------------|
| | Edit Notes |
| | Generate Documentation (RTF/PDF/DOCX) |
| | CSV Import/Export |
| | View Notes |
| | Import Search |
| | Export Search |
| | Dock in Output Bar |

Elements returned in the search results list can also be exported to a Word Processor or Spreadsheet Document.

Learn more about Model Search Model Search

Model Transformation

Getting to know the Model Transformation

Introducing Model Transformation

Model Transformations are a productivity tool that allow models to be manipulated to create more specialized or resolved models. The transformations can be applied to produce a variety of output models including logical and physical data models, XML Schema models, programming languages and more. The Model Driven Architecture (MDA) transformations use a flexible and fully configurable template system.

| Element Name | Element Type | | | Name | Target Package |
|--------------------------|-----------------------------------|----------------------|--------|------------------------|----------------------|
| Account | Class | | |] C# | |
| ddress | Class | | | C++ | |
| Author Class | | | | VBNet | |
| Cart Item | Class | ≡ | | PHP | |
| atalog | Class | | | | |
| ategory | Enumeration | | V | DDL | Application Tier |
| ditorial Review | Class | | | EJB Entity | |
| em | Class | | | EJB Session | |
| ine Item | Class | - | | Java | |
| <u>All</u> <u>N</u> one | Include Child Packages | | | Unit | |
| | 🕼 <u>G</u> enerate Code on result | Perform | n Trar | nsformations on result | |
| ntermediary File (option | al for debugging only): | | | | Do <u>T</u> ransform |
| | | | | | Close |
| | | V <u>r</u> ite Alway | s | Write Now | Help |

Where to find Model Transformation

Ribbon: Design > Tools > Transform > Transform Selection


Usage of Model Transformation

Model Transformations can be used as a productivity tool to transform a primitive model to a more resolved model. There is a wide range of built-in transformations, including:

- Generating from a Class model to a programming language model, including C++, C#, PHP, Java and many more
- Generating from a Class model to a data model, including ERD, Oracle, SQL Server, XSD and WSDL models
- Generating from a Class model to a test model, including NUnit and JUnit test models and more

Options for ModelModel TransforTransformationflexible templa

Model Transformations are completely configurable using a powerful, simple and flexible template system. This includes the flexibility to create new user defined transformations and modify or extend existing ones.



Learn more about Model Transformation Model Transformation


Model Views

Getting to know Model Views

Introducing Model Views

Model Views provide an alternative view of the elements in the Repository. Whereas the Project Browser is designed to organize the packages and elements structurally the Model Views facility allows the modeler to create a number of views that can group elements and diagrams differently.

The Project Browser has been designed to organize the elements structurally grouping elements and diagrams together into packages based on factors such as namespaces, type of element and the part of the process. Model Views allow a user to create a structure based on a wide range of criteria including Favorites folders and folders based on a search such as all elements I created last week that have a status of 'Proposed'.



| Where to find Model | Ribbon: Show > Window > Model Views |
|----------------------|---|
| Views | Ribbon: Start > Explore > Model Views |
| Usage of Model Views | Model views can be created for a variety of purposes and an experienced modeler will often use the Model Views facility as the access point to the Repository. The Favorites folder is useful to keep track of hand picked elements and diagrams of interest. The Slide show folder is useful to create a diagram slide show for the purposes of demonstrating diagrams to a group of people in a workshop or meeting. The Search folder is useful to keep track of elements that meet specified criteria and to be notified when new elements are added to the Repository that |

meet the criteria.

Model Views

Options for Model Views The Model Views root folder defines views that every user can see, whereas the My Views root folder is only visible to the current user. Both these root folders can contain any number of user-defined folders down to two levels. User-defined folders under the Model Views folder can contain three types of view: Favorites, Diagram Slide Shows and views based on a Search. User-defined folders under the My View folders can contain only views based on a Search.




The Model Views window provides a convenient toolbar for working with the folders and elements.

Learn more about Model Views

Organizational Chart Diagram

Getting to know the Organizational Chart Diagram

Introducing the Organizational Chart Diagram An organizational model is a powerful tool that is a visual representation that describes the roles, responsibilities and the reporting structure of an organization. It is invaluable to a Business Analyst as it allows them to visualize and to understand who they need to communicate with while performing various tasks. The Organization Chart in Enterprise Architect is flexible and can be used to create any type of representation including the inclusion of images representing teams or individuals.



Where to find the Organizational Chart Diagram

Usage of the Organizational Chart Diagram Ribbon: Design > Diagram > New > Strategic Modeling > Org Chart Project Browser Caption Bar Menu: New Diagram | Strategic Modeling | Org Chart Project Browser context menu: Add Diagram... | Strategic Modeling | Org Chart

The Organizational Chart can be used to create any type of chart, including a Functionally Orientated, Market Orientated or Matrix Model chart. A number of charts could be created, representing different current and future states of the enterprise.

Options for the Organizational Chart Diagram

Apart from the relationships that represent reporting lines in the Organizational Chart, Business Analysts can also add relationships of authority, influence, and communication, which might not overlay the reporting lines. These additional lines can be modeled using named Associations and stereotyped if required.

| Toolbox | × |
|----------------------------------|---|
| More tools | |
| Org Chart | |
| 🗐 Role | ≡ |
| A Reports To (Vertical Tree) | - |
| 🏸 Reports To (Lateral Tree) | |
| . ⁷ Communicates with | |
| Patterns | |
| 🚱 Org Chart | • |

The Organizational Chart (like any diagram) can be viewed as an element list, which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams, to draw attention to parts of the diagrams; the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Organizational Chart Diagram Organizational Chart

Package Browser

Getting to know the Package Browser


Introducing the Package Browser

The Package Browser is a powerful tool that provides a convenient list of the elements in a package displayed in a List or a Gantt view. The list view allows a modeler to work on the elements in the package in a spreadsheet like view, editing properties and notes inline and grouping and sorting the elements. The Gantt chart view allows analysts, architects, project managers and others to view the resource allocation for an element in a convenient and familiar time based view.

| us ^Type | | | | |
|----------------|---|---|--|--|
| | | | | |
| Name 💌 | Status 🖵 | Туре | Modified | |
| ltem | Approved | Class | 12/15/2015 | |
| | | Enumeration | 1/17/2016 | |
| atus: Proposed | Approved | | .,, | |
| Type: Class | | | | |
| Catalog | Proposed | Class | 11/2/2015 | |
| Cart Item | Proposed | Class | 8/17/2015 | |
| Address | Proposed | Class | 11/2/2015 | |
| | Item Type: Enumeration Category atus: Proposed Type: Class Catalog Catalog Cat Item | Type: Class Reader Review Approved Review Approved Item Approved Type: Enumeration Category Approved atus: Proposed Type: Class Catalog Proposed Cart Item Proposed | Type: Class Reader Review Approved Class Review Approved Class Item Approved Class Type: Enumeration Category Approved Enumeration Type: Class Catalog Proposed Class Cats Class Catelog Proposed Class Clas Cla | Type: Class Reader Review Approved Class 1/17/2016 Review Approved Class 1/17/2016 Item Approved Class 12/15/2015 Type: Enumeration Category Approved Enumeration atus: Proposed Enumeration 1/17/2016 Catalog Proposed Class 11/2/2015 Catalog Proposed Class 8/17/2015 |

| Where to find the Package Browser | Select the package in a diagram or the Project Browser |
|--------------------------------------|---|
| | Ribbon: Design > Package > List View |
| | Diagram Context Menu View as List |
| | Project Browser Context Menu View as List |
| Usage of the Package Browser | The Package Browser provides a convenient and alternate view of the elements in a package. The list view can be used as a workbench for viewing the elements in user defined order, changing the elements properties and adding and deleting elements. The ability to display the elements grouped by various properties and Tagged Values allows analysis to be performed on groups of elements. The Gantt chart view provides a project management view of the elements showing how resources are allocated to individual elements. Reports for all, or a selected group of elements can be generated. |
| Options for the Package Browser | The Package Browser has two different formats or display options: a User Defined view and a Hierarchy view. The User Defined view displays all the elements in the Package regardless of hierarchy. The Hierarchy view arranges the elements in accordance with the way they are grouped in the Project Browser. |

In the User Defined view the items can be sorted in ascending or descending order by clicking in the column headers. The order of columns can be changed by dragging column headers left or right. A modeler can drag column headers onto the View Header (above the column headers) this will group the items in the list by that property; column headers can be nested in a hierarchy to specify groups within groups.




Learn more about the Package Browser Package Browser

Pan and Zoom

Getting to know Pan and Zoom

Introducing Pan and Zoom

The Pan and Zoom window is one of the tools that can be used to navigate around a large diagram. Often the resolution of a diagram must be reduced to ensure it is wholly visible but by using the Pan and Zoom window you can leave the diagram at a readable resolution and pan around to areas of interest zooming in when necessary.



Many initiatives will be best described by a number of large diagrams, ranging from A3 - A0. Even when you are fortunate enough to be using a large monitor you will want to change the scale at which you are viewing the diagram and then pan around to find the section or element of interest in the diagram and then zoom into that section. The Pan and Zoom window will allow you to do this for any size diagram with tools for panning and zooming which are particularly useful during workshops or focus groups.

| Where to find Pan and Zoom | Ribbon: Layout > Tools > Pan and Zoom (Ctrl+Shift+N) |
|---------------------------------|---|
| Usage of Pan and Zoom | The Pan and Zoom window can be used for moving around and zooming into large diagrams. A typical scenario could be that an Analyst has created a diagram showing traceability from Solution Components back through detailed Requirements and User Stories and Processes up to the level of Business Goals. This diagram would typically be too large to view at the right resolution even on a large monitor. The Pan and Zoom window could be used to set the diagram resolution to a scale that could be easily read and then to pan around the diagram to elements and areas of interest, zooming in and out as required. |
| Options for the Pan and Zoom | The Pan and Zoom window has a number of options: Panning can be achieved by using your mouse pointer to drag the colored |

rectangle around to pan to different sections of the diagram.

Zooming can be achieved by using the Slider control which will change the scale of the diagram or by using the tool icons to:

- Zoom In
- Zoom Out

Pan and Zoom

- Zoom to fit diagram
- Zoom to fit page
- Zoom to 100%




Learn more about Pan and Zoom

Project Browser

Getting to know the Project Browser

Introducing the Project Browser

The Project Browser is the primary tool for structuring and navigating through the repository using expanding and collapsing tree nodes. The key structural element is the Package, which is a folder-like element that can contain other elements and diagrams, and other Packages. The elements in turn can contain other elements, features and diagrams. Root nodes are the highest nodes in the tree and these root Packages can contain views that in turn can contain any level of Packages and elements. Tree nodes including Packages, elements, Features and diagrams can be copied and pasted between locations or dragged and dropped to new locations. Many important tools, functions and windows are applied at the level of the Package, such as import or export of model content, documentation and Package Control, including Baselines.



Where to find the Project Browser

Usage of the Project Browser The Project Browser can be used to create and manage the structure of the repository by adding and deleting, moving and copying Packages, Elements,

Ribbon: Start > Explore > Browser

Features and Diagrams. It is often the primary tool for exploring and browsing through the elements in the repository and finding things of interest. A modeler working with an open diagram will often want to locate a diagram object in the Project Browser as a way of finding out what package it belongs to and discovering its peers.

Options for the Project
BrowserThe Project Browser has a context menu that contains the import functions that
apply to each of the selected element types. Many of the functions are also
available in the Project Browser Toolbar positioned at the top of the window. This
includes the ability to create Packages, diagrams, elements and documentation.
The Project Browser itself can be moved around the workspace as required.



There are also several important ways the Project Browser can be configured by using the 'Preferences' dialog. These include the ability to Show or Hide stereotypes in the name of a tree node, the ability to freely sort the tree nodes within a Package or element and whether to warn about deletions from the tree. There is also the ability to configure the action that occurs when a node in the tree is double-clicked.

Learn more about the Project Browser Project Browser

Project Management Items

Getting to know Project Management Items

| Introducing Project Management Items | Project Management Items allow a modeler to define useful information about an element from the perspective of the management of the element. These include the Resources that can be allocated to work on the element, the Effort required to complete work on the element, Metrics that capture valuable information about a property of the element, and Risks associated with the element. | | | | | | |
|---|---|--|--|--|--|--|--|
| Where to find Project | Ribbon: Construct > Task Management > Resource Allocation | | | | | | |
| Management Items | Ribbon: Construct > Change Management > Effort, Risks, Metrics | | | | | | |
| | Element Browser: Project Management Resource Allocation, Effort, Risks, Metrics | | | | | | |
| Usage of Project Management Items | Project Management Items can be added to assist in the management of a project. Specifying the resources that can be allocated to work on a particular element will assist with ensuring the right resources can be scheduled to carry out the work. The Effort required will also help in specifying exactly what resources will be required. The Metrics can provide useful and structured information about properties of the element such as the cost and time estimations. Risks can be defined that will assist in the overall management of project risks. | | | | | | |
| Options for Project Management Items | Project Management Items can be applied to any element in the Repository including Packages which is useful if a manager wants to assign an item such as Resource Allocation to a number of elements such as a group of Non Functional Requirements. | | | | | | |
| | 🏠 🗄 🖨 🗙 💱 🖶 l 🔓 🚰 l 🕲 | | | | | | |
| | There is a convenient toolbar that allows you to manage any of the Project Management Items with icons for New (Item), Save, Delete, Sort and more. | | | | | | |

Learn more about Project Management Items Project Management Items

Relationship Matrix

Getting to Know the Relationship Matrix

Introducing the Relationship Matrix

The Relationship Matrix is a tool for visualizing the way that requirements are related to each other and to other elements in the model in a visually compelling matrix or spreadsheet like view. It can be used to view the relationship between Stakeholders and their Requirements, how Use Cases are related to Business Requirements or Functional Requirements, how Capabilities are related to Business Drivers, which Components implement a set of requirements, and more. Any number of matrices can be defined quickly and then saved to be viewed in workshops or included in documentation generated automatically from the model or exported to a spreadsheet file. When a matrix is created, connections can be viewed by placing the Requirements on one axis of the matrix and the connected elements on the other axis, then the cells of the matrix will indicate the direction of the relationship.

| Target + | REQ011 - Manage User Accounts | REQ012 - Provide Online Sales | REQ013 - Manage Deliveries | REQ014 - ShoppingBasket | REQ015 - Process Credit Card Payment | REQ016 - Add Users | REQ017 - Remove User | REQ018 - Report on User Account | REQ019 - Manage Inventory | REQ020 - Receive Books | REQ021 - List Stock Levels | REQ022 - Order Books |
|------------------------|-------------------------------|-------------------------------|----------------------------|-------------------------|--------------------------------------|--------------------|----------------------|---------------------------------|---------------------------|------------------------|----------------------------|----------------------|
| + Source | <u> </u> | Ľ. | Ľ. | Ľ. | Ľ. | Ľ. | Ľ. | Ľ. | Ľ. | Ľ. | Ľ. | ĽĽ. |
| Add New Titles | | | | | | | | | | | | |
| Add To Shopping Basket | | | | Î | | | | | | | | |
| Close Account | | | | | | | Î | | | | | |
| Create Account | | | | | | Î | | | | | | |
| Create Orders | | | | | | | | | | | | Î |
| Delete User | | | | | | | Î | | | | | |

| Where to find the Relationship Matrix | Project Browser Context Menu (Package): Relationship Matrix As Source/As Target/As Both |
|--|---|
| | Resources Window: Matrix Profiles |
| Usage of the Relationship Matrix | To display the relationships that exist between elements in two Packages in a visually compelling matrix, such as which requirements are realized by which Use Cases. It is useful in analyzing missing elements or relationships; for example, to determine which Requirements are not realized by any Use Case or which Components do not have corresponding Requirements or Use Cases. It is particularly useful in workshops with Business Stakeholders who might not be familiar with seeing requirements in Trace diagrams. |
| Options for the Relationship Matrix | There are a range of options that can be set for the matrix including saving it to the Resources window or to a CSV format for opening in a spreadsheet. The |

appearance of the matrix can also be altered by sorting the elements, showing an outline numbering view, and suppressing Package names. These items are available from the Options button on the Relationship Matrix.

| - | O | otions | |
|------------------|---|----------|---|
| Scale Setting | | Matrix | • |
| Print | | Profiles | × |
| Print Preview | | Options | |
| Save as Metafile | 0 | Help | |
| Save as PNG | | | |
| Export to CSV | | | |
| | 1 | | |

Learn more about the Relationship Matrix

Relationship Matrix

Requirement Properties

Getting to Know the Requirement Properties

Introducing Requirement Properties

Requirement Properties are used to define metadata about the requirement that is useful for the management of requirements for the purpose of prioritization and defining work packages for the implementation teams. All Enterprise Architect elements have standard properties such as Status, Author and Phase but the Requirement element has additional properties such as Difficulty and Priority. User defined properties can also be defined using Tagged Values.

| Туре: | Functional |
|-------------|----------------|
| Status: | Approved 💌 |
| Alias: | |
| Keywords: | |
| Author: | Paulene Dean 🔹 |
| Difficulty: | Medium |
| Priority: | High |
| Version: | 1.0 |
| Phase: | 1.0 |

| Where to find | Element Context Menu: Properties |
|--|--|
| Requirement Properties | or |
| | Project Browser Context Menu Properties |
| | Project Browser Context Menu Properties Page General, Requirements, Constraints, Scenarios, Files, Links, Tagged Values |
| Usage of the Requirement Properties | To define the important meta information about a requirement for the purposes of providing data to manage the requirements for prioritization, understanding which are the difficult requirements, and managing the lifecycle by using Status to determine requirements for implementation Packages. |
| Options for Requirement Properties | Enterprise Architect has a wide range of built in properties for all elements but it has a number of additional properties for requirements. If there are other properties that are needed by a modeler or team such as the volatility (stability) of a requirement these can be added using the general purpose UML extension mechanism of Tagged Values. |


| REQ021 - List Stock Levels |
|--|
| tags |
| Volatility = Medium |
| notes |
| A facility will exist to list current stock levels and to manually update stock quantities if physical checking reveals inconsistencies. |

Learn more about Requirement Properties **Properties Dialog**

Requirements Checklist

Getting to know the Requirements Checklist

Introducing the **Requirements Checklist** The Requirement Checklist is a convenient element that acts as a tally to indicate whether a Requirement complies with a set of predefined measures such as whether the Requirement is Atomic, Cohesive, Traceable and Verifiable. It can be assigned to any Requirement and the measures can be updated directly in the diagram. When working with requirements it is sometimes very useful to refer to a common set of 'best practices' and qualities that help define the nature of a well formed specification. The Requirement Checklist element is designed to meet this need.



Where to find the **Requirements Checklist**

Usage of the Requirements Checklist

> **Options for the Requirements Checklist**

Toolbox |More Tools... | Requirements | Extended Requirements Page | **Requirements Checklist**

Analysts and Requirements Managers can use the checklist to annotate whether one or more requirements meet a set of predefined checks.

The list of measures is completely configurable and items can be added or removed from the list for each individual checklist by using the Checklist Tagged Value notes.

```
<Checklist>
         <Item Text="Atomic" Checked="True"/>
         <Item Text="Attainable" Checked="True"/>
         <Item Text="Cohesive" Checked="False"/>
         <Item Text="Complete" Checked="False"/>
         <Item Text="Current" Checked="True"/>
         <Item Text="Independent" Checked="False"/>
         <Item Text="Modifiable" Checked="True"/>
         <Item Text="Traceable" Checked="True"/>
         <Item Text="Unambiguous" Checked="True"/>
         <Item Text="Verifiable" Checked="True"/>
</Checklist>
```

Learn more about the

Requirement Checklist


Requirements Checklist

Requirements Diagram

Getting to Know the Requirements Diagram

Introducing the Requirements Diagram

The Requirements Diagram provides a visual representation of how Requirements are related to each other and to other elements in the model, including Business Drivers, Constraints, Business Rules, Use Cases, User Stories, design Components and more. The diagram is one of Enterprise Architect's extended diagram types and for analysts who are accustomed to working with requirements in a text based tool it will provide a welcomed and compelling graphical representation of the requirements.



| Where to find the Requirements Diagram | Project Browser Context Menu: Add Diagram Extended Requirements | | | | |
|---|--|--|--|--|--|
| Usage of the Requirements Diagram | One usage is to show how Requirements are connected together in a hierarchy but a more compelling usage is to show how requirements are connected to other elements. The experienced modeler will define and manage the requirements in the Specification Manager and then use the requirements diagram to show how one or more requirements are related to up-process elements such as Business Drivers and down-process elements such as Use Cases, User Stories, User Experience designs and solution Components. | | | | |
| Options for the Requirements Diagram | The appearance of a diagram can be changed to suit the audience, and details can be included, suppressed or altered to ensure the diagram meets its main objective of communication. There is a wide range of options ranging from creating a Hand Drawn style of diagram to page setup. | | | | |

| Appearance |
|------------------------------------|
| Use Alias if Available |
| Show Additional Parents |
| Hide Page Border (All Diagrams) |
| Hide Page Border (Current Diagram) |
| Show Diagram Details |
| Show Sequence Notes |
| Show Namespace |
| Fully Qualified Namespace |
| Hand Drawn |
| Whiteboard Mode |
| Disable fully scoped object names |

Learn more about the Requirements Diagram • Working In Diagrams

This Risk Taxonomy Diagram shows the use of elements to

model risk in a formal way

including the Risk Scenario.

Risk Taxonomy

Getting to know the Risk Taxonomy


Introducing the Risk Taxonomy

The Risk Taxonomy is a facility to define a comprehensive, stable and reusable set of risk categories that can be applied universally across the system. This includes definitions of Threats, Loss type, Contact Frequency, Loss Magnitude, Risks and more. It is based on the Open Group Standard for Risk Taxonomy (OR-T) and provides a toolbox and diagrams for defining the Taxonomy.

Risk Taxonomy

The UML Profile for Risk Taxonomy provides support for modeling risk scenarios and analyzing risk conditions. The Risk Taxonomy profile provided by Enterprise Architect supports the Open Group Standard for Risk Taxonomy (OR-T), version 2.0.

Risk Taxonomy diagrams and their associated toolboxes are available from the Risk Taxonomy category.



Where to find the Risk Ribbon: Design > Diagram > New > Risk Taxonomy > Risk Taxonomy Taxonomy Project Browser Caption Bar Menu: New Diagram | Risk Taxonomy | Risk Taxonomy Project Browser Context Menu: Add Diagram ... | Risk Taxonomy | Risk Taxonomy Usage of the Risk The Risk Taxonomy provides a common language and references for security and Taxonomy business analysts who need to understand and analyze risk in a formal way. It allows analysts to estimate the probable frequency and magnitude of future loss. **Options for the Risk** The Risk Taxonomy can be used at varying levels of formality depending on the Taxonomy initiatives, processes and requirements for risk assessment. The Relationship Matrix could also be used to record the relationship between the discrete values, Threat Capability and Resistance (Control) Strength to determine the derived Vulnerability. A Toolbox of elements and relationships is available for the Risk

Taxonomy diagram allowing sophisticated models of risk to be created.

| Toolbox 🗆 🗙 | | |
|-----------------|--------------------------|-----|
| | More tools. | . 🔺 |
| 🗆 Ris | k Taxonomy | |
| ۵D | Asset Loss | |
| | Assumption | |
| E | Contact Frequency | |
| ۵D | External Loss | |
| ۵D | Loss | ≡ |
| E | Loss Event Frequency | |
| | Loss Magnitude | |
| 3D | Organizational Loss | |
| | Probability Of Action | |
| | Resistance Strength | |
| 0 | Risk Scenario | |
| R | Risk | |
| | Risk Management Decision | |
| _ | Threat | |
| £ | Threat Agent | |
| | Threat Capability | |
| 2 | Threat Community | |
| | Threat Event Frequency | |
| | Threat Response | |
| | Vulnerability | |
| 🗆 Ris | k Taxonomy Relationships | |
| $\sim 2^{2}$ | Affect | |
| $\sim 2^{2}$ | Deny Access | |
| $- e^{2i}$ | Destruction | |
| $- \mathcal{P}$ | Disclose | |
| $- e^{2i}$ | Loss Flow | |
| $- e^{2i}$ | Misuse | |
| $- e^{2i}$ | Modify | |
| $- \mathcal{P}$ | UnauthorizedAccess | |
| _ | | |

Learn more about the Risk Taxonomy


Risk Taxonomy

Roadmap Diagram

Getting to know the Roadmap Diagram

Introducing the Roadmap Diagram

The Roadmap Diagram is an overlay that can be applied to any diagram and describes significant phases in elements and how they change with the passage of time.



There is no restriction to the type of elements that can appear on the diagram and any diagram can have a Roadmap overlay defined. Significant user defined phases in the element's lifetime are represented by colored bars which can be set to show duration. The colors and the phases can be configured using a diagram legend which automatically applies them to the elements in the diagram. They are particularly useful for Enterprise Architecture diagrams for describing capability and application Roadmaps.

| Where to find the Roadmap Diagram | Ribbon: Layout > Diagram > Roadmap Diagram Context Menu: Roadmap Options |
|--------------------------------------|---|
| Usage of the Roadmap Diagram | The Roadmap Diagram has a wide range of uses from Enterprise Architecture where they can be used to show application and capability roadmaps to Systems Engineering where they are used to show timing in low level components. |
| Options for the Roadmap Diagram | The Roadmap overlay has a range of options that determine the properties of the timeline, such as the scale of the time rulers, units, their positions, and the appearance of the time line including fonts and colors. The height and position of the timeline can also be configured to suit the diagram and display. |

| Roadmap options |
|----------------------------------|
| Enabled |
| Timeline Properties |
| Roadmap Title: Product Lifecycle |
| Units: Quarterly 💌 |
| Tick spacing: |
| Timeline Start: 01/10/2015 |
| Timeline End: 17/08/2015 |
| Scale: Marker offset: Ticks: |
| Timeline Appearance |
| Roadmap Position: Top |
| Timeline Height: |
| Timeline Color: |
| Line Color: |
| Font: A Center marker labels |
| Use legend for phase colors |
| OK Cancel <u>H</u> elp |

The diagram Legend can be configured to define the phases in the elements lifetime and to set the specification of the colored bands and more. Roadmap segments can be shown or hidden on individual elements in cases where a particular segment might not apply to one or more of the elements on the diagram.


Learn more about the Roadmap Diagram Roadmap Diagram

Scenario Builder

Getting to Know the Scenario Builder

Introducing the Scenario Builder

The Scenario Builder is used to define the details of a Use Case including defining detailed descriptions, creating one or more Scenarios and defining pre-conditions, post-conditions and other constraints. The detailed steps of a Use Case can be recorded and linked to other elements in the model and these can then be generated out as a diagram providing a visual representation of the Use Case and its Scenarios. The diagram and the text can be synchronized and individual steps can then be traced to other elements such as Components that will realize the Requirement specified in the Use Case.



| Where to find the Scenario Builder | Element Context Menu: Properties Scenarios |
|---------------------------------------|--|
| Usage of the Scenario Builder | To define the details of a Use Case and its scenarios and consraints which can be used to replace the traditional text-document based approach to defining Use Cases. This ensures that the Use Case diagram and the textual details of the Use Cases and its Scenarios and Constraints are all contained in the same model and can be traced. If the Use Cases are required in a document format for contractual or process reasons a Use Case Report can be generated automatically from the models using the in-built documentation engine. |
| Options for the Scenario Builder | The Scenario Builder can be viewed as a tabbed or a docked window or in an element's Properties window. The steps of a Use Case including its Scenarios can be automatically generated into a number of different diagram types available |

from the Generate Diagram toolbar icon.

| r. | X @ |
|----|---------------------------------|
| | Activity |
| | Activity with ActivityParameter |
| | Activity with Action |
| | Activity with ActionPin |
| | RuleFlow |
| | State |
| | Sequence |
| | Robustness |

Learn more about the Scenario Builder

Element Scenarios & Requirements

Schema Composer

Getting to know the Schema Composer

Introducing the Schema Composer

The Schema Composer is a powerful and productive tool for working with information that is shared between organizations or within organizations. Many industries, domains and organizations have defined a shared information model or schema and mandate or encourage parties to use this model when sharing information. The Schema Composer is a tool that helps analysts and others to define messages that comply with the schemas and thus comply with the mandated formats.

| Profile | | |
|--|--|---|
| Passport New > Update Generate | Schema Type Schema Schema Set Core Components (UN/CEFACT) - NDR 3.0 Model Ref My Model Namespoe Thttp://mysuthority.org/passports Namespoe Tr.:rsm: Unified Schema | Address has 5 properties referenced by: Person. Residence initined.0 times, referenced:1 times and inherited:0 times |
| Classes | Attributes | Schema |
| Address Country Decimal MyCode MyCode MyGot MyGot MyGot MyGot MyGot MyText Period Period String String | Address Address AddressAtributes DuldingNumber: MyTed CtyName: MyTet CountryName: MyTet Oracle StreetName: MyTet StreetName: MyTet | Passont Address Address MyCode MyCode MyCode MyCateTime Mydertifier MyMartifier MyMar |

| Where to find the Schema Composer | Ribbon: Design > Tools > Schema Composer > Open Schema Composer |
|---|---|
| Usage of the Schema Composer | The Schema Composer can be used to work with a number of standards including:The Common Information Model (CIM) |
| | National Information Exchange Modeling (NIEM) |
| | • United Nations Center for Trade Facilitation and Electronic Business (UN/CEFACT) Modeling Methodology (UMM), specifically the Naming and Design Rules (NDR) 2.1 and 3.0 |
| | • Universal Business Language (UBL), specifically the Naming and Design Rules (NDR) 3.0 |
| | A modeler can however define their own schema using the tool either for use within an organization or as part of a standards or technical committee. Other standards will be added as more agencies and industry groups adopt the tool. |
| Options for the Schema Composer | The Schema Composer can also be used to create a definition of the same message using a number of different formats such as: |
| | • XSD - (XML Schema Definition) |
| | RDFS - (Resource Description Framework Schema) |
| | • JSON - (JavaScript Object Notation) |
| Learn more about the Schema Composer | Schema Composer |

Security

Getting to know Security

Introducing Security

The Security system in Enterprise Architect is designed to facilitate collaboration and not as a barrier to incursion.

The information contained in the Repository is a valuable organizational asset and needs to be maintained and secured as such. The asset needs to be protected from both intentional and inadvertent compromises of content. The security system allows update functions to be restricted to a set of users or groups with the defined permission. Packages, Elements and Diagrams can be locked by users preventing others from updating them.

| User Details — | | | | | User Groups |
|-------------------------------|-------------------------------------|-------------|--------------|----------------|---|
| Login: | paulinedean | | | Administrators | |
| Firstname: | Pauline | Sumame: | Dean | | ✓ ibrarians ✓ Modelers |
| Department: | Business Analysis | | | Viewers | |
| | Add User to Authors Change Password | | | | |
| Accept Windows Authentication | | | | | |
| Use <u>r</u> s: | Import | <u>N</u> ew | <u>S</u> ave | <u>D</u> elete | |
| Sumame | Firstname | Login | | | |
| Administrator | The | admin | | | |
| Dean | Pauline | pauline | edean | | |
| Howard | Tim | timhov | vard | | |
| Nichols | Greg | gregni | chols | | |
| Nielsen | Ken | kennie | lson | | |

| Where to find Security | Ribbon: Configure > Security |
|------------------------|---|
| Usage of Security | Security has been designed to control access to update functions to groups and users who have been granted the access to perform these functions. Packages, Elements and Diagrams can also be locked for change by a Group or User preventing others from changing them. The security system has been designed primarily to facilitate collaboration and cannot be used to restrict users from viewing parts of the model. |
| Options for Security | Security itself is optional in Enterprise Architect and by default is not enabled. If it is required, security can be enabled and a security policy can be set. There are two policies that can be set which dictate the way security functions: |
| | Require User Lock to Edit - (More Rigorous Policy) the whole project is locked against editing and the user must deliberately lock an element to be able to edit it. |
| | 2. User/group locking - (Less Rigorous Policy) the whole repository is unlocked. When a modeler edits an element or diagram the element or set of elements is automatically locked preventing others from editing them. |

| Manage Users | |
|---------------------------------|----------------|
| Manage Groups | |
| Manage Locks | |
| Require User Lock to Edit | |
| Apply Locks to Connectors | |
| Mana an Maria ata | Ch.1. Ch.26. 1 |
| Manage My Locks | Ctrl+Shift+L |
| I a mine a a Annahla an Illa an | |
| Login as Another User | |
| Change Password | |
| - | |
| Change Password | |

Any number of users and groups can be defined and users can be given individual permissions and also placed into one or more groups which have permissions defined. The set of permissions for a user is the sum of their individual permissions plus those of any groups they are assigned to. Users can be defined manually or imported from Active Directory allowing single sign-on using Windows Authentication.


Learn more about Security Security

Sequence Diagram

Getting to know the Sequence Diagram

Introducing the Sequence Diagram

The Sequence Diagram is one of the Unified Modeling Language (UML) Behavioral diagrams that can be used to define the time ordered flow of messages between elements. They can be used by business and technical users but are more commonly used for technical descriptions of a system. Time is by convention represented on the vertical axis and elements (Classifiers or Instances) are positioned horizontally at the top of the diagram. Commonly an Actor (representing a role played by a user) starts the flow and messages are passed between the elements showing how a result is achieved.



| Where to find the Sequence Diagram | Ribbon: Design > Diagram > New > UML Behavioral > Sequence Project Browser Caption Bar Menu: New Diagram UML Behavioral Sequence Project Browser Context Menu: Add Diagram UML Behavioral Sequence |
|---------------------------------------|--|
| Usage of the Sequence Diagram | The Sequence Diagram can be used to model any set of messages that flow between two or more elements to produce a result. They are more typically used by technical modelers to depict how messages are passed between application components and interfaces to achieve an outcome. They are particularly useful when used to describe complex protocols or subsystem interactions that are difficult to understand unless presented graphically. Sequence diagrams can also be created automatically from stack traces as a way of visualizing how a system functions. |
| Options for the Sequence Diagram | The elements that appear in Sequence Diagrams can be either Classifiers such as Classes and Components or instances such as Objects and Component Instances. The choice will depend on what the modeler wants to represent. The order of objects and messages can be altered to make the diagram more readable and notes can be used to explain parts of the diagram. Fragments can also be added to represent control structures that operate on a group of messages. |

| Toolbox | | × |
|-------------------------|------------|---|
| | More tools | |
| Interaction | | |
| 📍 Actor | | |
| 👎 Lifeline | | |
| Ю Boundary | | |
| 🇳 Control | | = |
| 🔍 Entity | | |
| 🔁 Fragment | | |
| Endpoint | | |
| Diagram Gate | | |
| State/Continuation | | |
| Interaction Relationshi | ips | |
| → Message | | |
| Self-Message | | |
| 🕞 Call | | |
| Recursion | | |
| Additional | | |
| 🗾 Interaction | | - |
| | | _ |

Learn more about the Sequence Diagram

Sequence Diagram

Specification Manager

Getting to Know the Specification Manager

Introducing the Specification Manager

The Specification Manager is the central tool for working with requirements and provides a Word Processor or Spreadsheet like interface for entering, maintaining and viewing Requirements. New Requirements can be created with names and detailed descriptions and properties such as Status and Priority can be added from drop-down lists. Existing Requirements can be viewed and managed in a convenient view and changing them in the Specification Manager will change them in all other places in the repository such as diagrams and windows. It is the perfect tool for those analysts more comfortable working with text rather than diagrams and who are accustomed to working in a Word Processor or Spreadsheet. It has the added advantage that the requirements are part of a model and can be traced to other elements including Business Drivers, Stakeholders and Solution Components.

Item

1 REQ019 - Manage Inventory

The system MUST include a complete inventory management facility to store and track stock of books for the on-line bookstore.

1.1 REQ122 - Inventory Reports

Inventory reports are required that detail the available stock for each item including back orders. Future stock level reports should be able to predict the quantity of stock at a specified future date.

1.2 REQ023 - Store and Manage Books

A book storage and management facility will be required.

1.2.1 REQ022 - Order Books

A book order facility will be required to allow on-line ordering from major stockist's.


1.2.2 REQ021 - List Stock Levels

A facility will exist to list current stock levels and to manually update stock quantities if physical checking reveals inconsistencies.

| Where to find the Specification Manager | Project Browser Context Menu (Package): View as Requirements List |
|---|---|
| Usage of the Specification Manager | To create, view and maintain Requirements in a text based tool that resembles working in a word processor or spreadsheet. Details can be added to the requirements and requirement properties can be added from drop-down lists. When the requirements are changed in this Specification Manager the changes are conveniently reflected in the Project Browser and all other windows. |
| Options for the | There are a wide range of options available from the options menu, to tailor the |

Specification Manager

way you use the Specification Manager. These include Level (hierarchical) Numbering, Auto Naming, Spell Check, Documentation, Import and Export of Requirements, access to various related tools and more.



Learn more about the Specification Manager


The Specification Manager

StateMachine Diagram

Getting to know the StateMachine Diagram

Introducing the StateMachine Diagram

The StateMachine Diagram is one of the Unified Modeling Language (UML) Behavioral diagrams that can be used to model the important phases in the lifetime of an element. It is often thought of as a diagram for technical uses but it has equal applicability for non technical audiences. The StateMachine is defined for a selected entity in the system and a perspective is defined that will be modeled by the States and other elements and connectors in the diagram.



| Where to find the StateMachine Diagram | Ribbon: Design > Diagram > New > UML Behavioral > StateMachine Project Browser Caption Bar Menu: New Diagram UML Behavioral StateMachine Project Browser Context Menu: Add Diagram UML Behavioral State Machine |
|---|---|
| Usage of the StateMachine Diagram | The StateMachine diagram is used to model the important phases in the lifetime of a system entity. It can be used to model business entities such as Bank Accounts or technical entities such as a Traffic Light Control system. |
| Options for the StateMachine Diagram | The StateMachine diagram can be automatically converted to an analogous model in a State Table Editor. This can be an appealing representation for some users and the editor provides an easy to use interface to add new States and Transitions. StateMachine diagrams and Tables can be used to create Model Simulations that will allow the modeler to visualize, explore and test the dynamic behavior of the StateMachine. StateMachines can also be used for to generate code into Hardware Description Languages (HDL). |

| Toolbox | ĸ | □ × |
|----------|-------------------|--------------|
| | | More tools 🔺 |
| 🗆 Sta | ate | |
| | State | |
| <u>a</u> | State Machine | |
| • | Initial | |
| ۲ | Final | |
| Θ | History | |
| | Synch | |
| | Object | |
| | Choice | |
| - | Junction | |
| _ | Entry | |
| - | Exit | |
| | Terminate | |
| | Fork/Join | |
| | Fork/Join | |
| 🗆 Sta | ate Relationships | |
| 7 | Transition | |
| 2 | Object Flow | |
| - Ad | Iditional | |
| 3D | Event | |
| Z | Signal | |
| | Trigger | |
| | | |

The StateMachine Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the StateMachine Diagram

StateMachine Diagram

Stereotyping


Getting to know Stereotyping

Introducing Stereotyping

Stereotypes are one of the Unified Modeling Language Extension Mechanism that can be used to create a new type of element based on an existing UML element type. There are many cases where things of interest in a particular industry or domain would benefit from being defined as a type. The stereotyped elements often add clarity to a model and are meaningful to a model audience who is familiar with their domain. Examples include a 'contract' stereotype in the legal profession, a 'policy' stereotype in the compliance profession or a 'meter' stereotype in the energy distribution industry.

Stakeholder Requirements

This diagram shows a number of stakeholders and their needs (requirements). A stereotype has been created for the stakeholders, that has an alternate image assigned to it. The requirements are displayed using a rectangular presentation style, so as to display the stereotype <<stakeholder requirement>> in the diagram.



audiences. Care should be taken not to overuse the facility as it can lead to fragmentation of meaning and also can result in models that are not understood by external audiences.

Options for Stereotyping Stereotypes can have a number of appearance settings applied that help to distinguish the element type. These include changing the default colors of the element and changing the appearance by assigning an image or a new shape to elements with the applied stereotype. The image is best defined in a vector format such as a metafile so that when it is resized the image doesn't become pixelated. A shape script can be defined which uses a user defined script to draw the element effectively allowing any style of element to be drawn and conditionally adding graphic features based on properties and tagged values.

| Stereotype: | stakeholder |
|---|---|
| Group name: | |
| <u>B</u> ase Class: | class 💌 |
| No <u>t</u> es: | A stakeholder is a group or person who has interests that may be affected by an initiative or who have influence over the initiative. |
| | New Save Delete |
| Override Ap | Assign Remove |
| Default Co Fill: Border: Font: | blors De \checkmark De \checkmark eset |


Learn more about Stereotyping <u>Stereotypes</u> Stereotype Settings

Strategy Map

Getting to know the Strategy Map

Introducing the Strategy Map


A Strategy Map is a diagram that is used to describe the primary strategic goals that are important to an organization or business team. The diagram shows four important perspectives that are the significant questions that provide the definition of a strategy. The most commonly defined perspectives are: 'Financial', 'Customer', 'Internal Business Processes', 'Learning and Growth'. The diagram is used as a communication device to ensure there is a common understanding of the strategy, to focus organization effort and to assist with the assessment of progress.



| Where to find the Strategy | Ribbon: Design > Diagram > New > Strategic Modeling > Strategy Map |
|----------------------------|--|
| Мар | Project Browser Caption Bar Menu: New Diagram Strategic Modeling Strategy Map |
| | Project Browser context menu: Add Diagram Strategic Modeling Strategy Map |
| Usage of the Strategy Map | The Strategy Map is used to model the key strategic goals that an organization or management team intend to achieve. Elements in each of the four perspectives can be linked to other elements in the repository to show how they could be |

implemented at a business, application or technology level.

Options for the Strategy Map A Strategy Map can be created using Patterns that automatically create elements and a diagram that can be used as a starting point for the strategy map. There are three Patterns available, ranging from a very simple expression with a single element in each perspective to a completely worked expression with multiple elements in each perspective. A toolbox provides a range of additional elements and relationships to extend the base maps created using the Patterns.



| Learn | more | about the | |
|-------|------|-----------|--|
| | Stra | tegy Map | |


Strategy Map

Tagged Values

Getting to know the Tagged Values

Introducing the Tagged Values

Tagged Values are one of the Unified Modeling Language's built-in extension mechanisms. They provide a useful and productive way of adding extra properties to elements, attributes, operations or connectors; just as you would add an additional column in your favorite spreadsheet. They have a Tag name and a Value, and additional Notes. You can use a wide range of user interface controls to assist users when entering a value for the tag, such as drop downs, spin controls, date and color pickers, and more.



There are a variety of properties available for elements in the Repository, including name, notes, status, author and version. Even with these properties available, it is likely that an analyst will need to add additional properties in some situations, and the Tagged Values facility is an easy to use and productive mechanism for working with these properties.

| Where to find Tagged | Defining Tagged Values |
|----------------------------------|---|
| Values | Ribbon: Configure > Reference Data > UML Types > Tagged Value Types |
| | Using Tagged Values Ribbon: Start > Windows > Tagged Values |
| Usage of the Tagged Values | Tagged Values are additional properties (and their values) that can be set for any UML element, attribute, operation or connector. For example a Requirement element does not have a built in property for volatility and so a Tagged Value could be added providing the user with a drop down list of available values: such as High, Low, Medium. |
| | Tagged Values are used extensively in profiles and technologies. For example you will use them when working in the BPMN Technology to set properties of Activities or in the Wire Framing Technology to show or hide phone menu buttons and notification bars. |
| Options for the Tagged Values | There are built in Structured Tagged Value Types that help the user when entering the value for a tag. The values can be restricted using user interface controls such as drop down lists, spin controls, date selectors and many more. |

| Tag Name: Risk Mitigation | Description: Treatment of Risk |
|--|--------------------------------|
| De <u>t</u> ail: | |
| Type=Enum; Values=Avoidance, Reduction, Sharing, Rete Default=Reduction; | ntion; |

For example a date picker can be applied to allow a user to select the date a Change was authorized.


Learn more about the Tagged Values Tagged Values

Team Reviews

Getting to know Team Reviews

Introducing Team Reviews

Team reviews provide an opportunity for developers, modelers, customers and stakeholders to comment and provide feedback on the work in progress or at the completion of a milestone or project.



Usage of Team Reviews

The Team Review feature can be used to conduct model reviews from any number of perspectives including walk-throughs, formal model reviews, or ad-hoc reviews.

Where to find Team Reviews

Options for Team Reviews

There is a wide range of settings available to configure the Team Reviews available from the Category and Topic context menus, including setting the status of the category or topic and other options. Diagrams, elements and element features can be conveniently dragged from the Project Browser to create model links that can be used by team members to hyperlink directly from the Team Review window to these items in the Project Browser.

| 🖃 🚞 Weekly Design Re | views | | | |
|----------------------|-------|--|---|------------------------------|
| Thursday 20 | June | | | |
| | ø | New Document New Document from Template Rename (F2) Copy Path To Clipboard Share Resource Refresh Topic 'Thursday 20 June' Reload Current Connection | • | |
| | | Review Status | • | Awaiting Approval |
| | | Mark Bind to Project Browser Package Security Options | • | Approved Rejected None |
| | ×> | Connections Options Delete Topic 'Thursday 20 June' | | |
| | 0 | Help | | |


Learn more about Team Reviews Team Review

Testing


Getting to know the Testing

Introducing the Testing

Enterprise Architect has a number of tools that can be used for modeling aspects of the test discipline. The Testing Window is the central tool for creating and managing tests, allowing a range of different test types to be defined including properties such as status and the results of tests to be recorded.



- Who it was Checked by
- The Class of Test (such as Acceptance)
- The Date it was last run
- Description of the Test
- Inputs required
- Acceptance Criteria
- Results



Learn more about the Testing


Testing

Traceability Window

Getting to Know the Traceability Window

Introducing the Traceability Window

The Traceability window gives the modeler a hierarchical view of element connections, allowing traceability to be visualized and queried as elements are traversed in the model. This tool is particularly powerful because a modeler will often choose to hide diagram relationships but by selecting an element in the diagram and viewing its connections in the traceability window all its relationships will be displayed.




Where to find the Traceability Window Show > Window > Traceability

Usage of the Traceability The Traceability Window can be used to view the way an element is connected to Window other elements in the repository, in a hierarchy including the types of the relationships. This window gives a complete list of all relationships that cannot be seen by viewing elements in the Project Browser and might not appear in any diagrams. It is very useful for managing requirements and tracing how a requirement is related to up-process elements such as Business Drivers and down-process elements such as Components. It is a useful tool for newcomers to a model to gain a quick understanding of which are the important and well connected elements. It should be viewed before deleting an element in the model to ensure that the user understands the element's existing relationships. **Options for the** There are a series of options that restrict the traceability to specified connector **Traceability Window** types; these can be set to alter what is displayed in the window. The options are

available from the toolbar at the top of the window.

(c) Sparx Systems 2015 - 2017




Learn more about the Traceability Window The Traceability Window

Use Case Diagram

Getting to know the Use Case Diagram

Introducing the Use Case Diagram

The Use Case Diagram is one of the Unified Modeling Language (UML) Behavioral diagrams that can be used to describe the goals of the users and other systems that interact with the system that is being modeled. They are used to describe the functional requirements of a system, subsystem or entity and present a simple but compelling picture of how the system will be used.




They are typically used in conjunction with higher level Business and Stakeholder Requirements and are often supplemented with a set of Non Functional Requirements.

| Where to find the Use | Ribbon: Design > Diagram > New > UML Behavioral > Use Case | | | | |
|-------------------------------------|---|--|--|--|--|
| Case Diagram | Project Browser Caption Bar Menu: New Diagram UML Behavioral Use Case | | | | |
| | Project Browser Context Menu: Add Diagram UML Behavioral Use Case | | | | |
| Usage of the Use Case Diagram | The Use Case Diagram is used to describe the goals that users or other systems want to achieve from interacting with the system. They always describe the goal from the Actors' perspective, the details of the Use Case will describe the goal with more precision. | | | | |
| | Use Cases will often act as the basis for the definition of Test Cases. | | | | |
| Options for the Use Case Diagram | Any number of Use Case Diagrams can be created to represent different parts of a system or Packages of Use Cases. The diagrams can be kept simple or they can be | | | | |

structured by the application of a number of additional connectors such as Include, Extend and Generalization relationships.

A system Boundary can be included that is used to name the system, subsystem or entity under discussion; the Actors lie outside the Boundary and the Use Case inside.



Use Case diagrams can be used to show how the Use Case are related to other elements in the system, including up-stream elements such as Requirements and down-stream elements such as Components.

The Use Case diagram (as for any diagram) can be viewed as an element list, which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams, to draw attention to parts of the diagrams and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.

Learn more about the Use Case Diagram Use Case Diagram

Use Case Estimation

Getting to know Use Case Estimation

Introducing Use Case Estimation

Use Case Estimation is a comprehensive project estimation tool that is used to calculate effort using Use Case and Actor elements. The complexity of the work environment is set using a series of weighted Technical and Environmental Complexity factors and Use Cases and Actors are given a rating that assigns their complexity as: Easy, Medium or Complex. The method is based on Karner's Use Case Points Method, and allows a metrics report containing the project estimation analysis to be produced and incorporated into project documentation.

| ► M Use Case I | Metrics Testing D | etails Mai | ntenance Deta | ails | Dependend | v Deta | | Implementation | Details | |
|---------------------------------------|------------------------------------|--------------------|---------------|------|-------------------------|--------|---------|---------------------|------------|-------|
| 000 00001 | inotifico (icotang b | | | | Dopondone | ., | | in promotion dation | Dotano | |
| Use Cases | | | | | | | - Techn | ical Complexity | Factor - | |
| Root Package: | lanage Inventory | | | | Reload | | Unadj | usted TCF Valu | ue (UTV): | 47 |
| Ph <u>a</u> se like * | | Bookmarked: | All | - | | | TCF V | Veight Factor (| TWF): | 0.01 |
| Keyword like | | Use Cases: | 6 | | Include Actors | | TCF C | Constant (TC): | | 0.6 |
| Package | Name | Туре | Complexity | - | Phase | | TCF = | TC + (TWF x | UTV): | 1.07 |
| Manage Inventory Manage Inventory | Manage Titles Manage Publishers | UseCase UseCase | 5 | | 1.0 | | Enviro | nment Complex | ity Factor | |
| Manage Inventory Manage Inventory | List Stock Levels Edit Titles | UseCase | 10 | | 3.0 | | Unadj | usted ECF Valu | ue (UEV): | 21.5 |
| Manage Inventory | Create Orders | UseCase | 15 | | 1.0 | | ECF V | Veight Factor (| EWF): | -0.03 |
| Manage Inventory | Add New Titles | UseCase | 5 | | 1.0 | | ECF C | Constant (EC): | | 1.4 |
| | | | | | | | ECF : | = EC + (EWF x | UEV): | 0.755 |
| Unadjusted Use Case Total Estimate | Points (UUCP) = Sum | of Complexity | 50 | | Ave Hours p Use Case | er | Б | asy: 40 Med | : 80 Diff | : 120 |
| - | Points (UCP) = UUCP * | TCF * FCF = | 50 | | 1.07 - | 0.75 | 5 = | 40 | UCP | |
| | | | 10 | | 40 | | | 400 | Hours | |
| | Estimated Work Eff | on (nours) = | 10 | | -10 | | = | 400 | riours | |
| Estimated Co | ost = EWE * Default h | ourly Rate = | 400 | | 40 | | = | 16000 | Cost | |

| Where to find Use Case Estimation | Ribbon: Configure > Reference Data > Project Types > Estimation Factors |
|--------------------------------------|---|
| Usage of Use Case Estimation | Use Case Estimation can be used to calculate the required effort to complete an initiative or part of an initiative. |
| Options for Use Case Estimation | Environmental and Technical complexity factors can be defined and given weights and values that determine how they influence the effort that is calculated for an initiative. |

| Technical Complexity Factor — | |
|---|---------------|
| Unadjusted TCF Value (UTV): | 47 |
| TCF Weight Factor (TWF): | 0.01 |
| TCF Constant (TC): | 0.6 |
| TCF = TC + (TWF x UTV): | 1.07 |
| Environment Complexity Factor | |
| | |
| Unadjusted ECF Value (UEV): | 21.5 |
| Unadjusted ECF Value (UEV): ECF Weight Factor (EWF): | 21.5 -0.03 |
| | |

A value can be assigned to the phase property of one or more Use Cases; this value can be used subsequently as the criteria of a filter to restrict the estimates to just that phase. The estimate can also be filtered based on a Tagged Value set on the Use Cases such as Criticality.


Learn more about Use Case Estimation Use Case Estimation

User Story

Getting to know the User Story


Introducing the User Story

User Stories are most often associated with iterative processes and were originally defined by Extreme Programming techniques but are now more commonly associated with a number of Agile processes. A User Story typically consists of a simple statement made in a few short sentences describing what the user does or needs to do to achieve a goal and why the goal is important to them. They are typically written to replace detailed traditional requirements and allow developers to understand the goals of a user and what their job functions entail.



They also typically describe the reason behind the goal the user wants to achieve.

Options for the User Story A User Story can be created using the stereotyped Artifact available from the 'Artifact' Toolbox page or as a stereotyped Use Case. While many proponents of User Stories see them differently to Use Cases, they are both aimed at defining a goal that a user in a role wants to achieve. A stereotyped Use Case can also be used to represent a User Story with just the description written in the form: 'As a (Stock Controller) I want to be able to... '. They can be defined in conjunction with Personas that help to allow analysts to empathize with the users.




Learn more about the User Story User Story

Value Chain

Getting to know the Value Chain

Introducing the Value Chain


The Value Chain is a strategic diagram that allows the primary and secondary activities in an organization to be modeled. The diagram can be created from a Pattern that adds and connects the five primary activities in a chain and the four supporting activities underpinning them.



An analyst working at the strategic business unit level will often be asked to model the activities the business unit performs to provide value to its customers. The Value Chain is the preferred tool for creating this strategic representation of the sequence of activities that an organization performs.

| Where to find the Value | Ribbon: Design > Diagram > New > Strategic Modeling > Value Chain | | | |
|--------------------------------|--|--|--|--|
| Chain | Project Browser Caption Bar Menu: New Diagram Strategic Modeling Value Chain | | | |
| | Project Browser context menu: Add Diagram Strategic Modeling Value Chain | | | |
| Usage of the Value Chain | The Value Chain is an important tool to assist with strategic planning allowing the whole sequence (or chain) to be understood. It also allows the chain to be broken down into its constituent activities allowing the evaluation of costs, resource and value to be determined and potentially improved. | | | |
| Options for the Value Chain | Each one of the Primary and Supporting Activities can be linked to other elements in the model including a linked document and elements that define benchmarks. | | | |

Primary Activities



The Value Chain Diagram (like any diagram) can be viewed as an element list which makes working with the element's properties easier.

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams.


Learn more about the Value Chain Value Chain

Visual Filters

Getting to know Visual Filters

Introducing the Visual Filters

Visual Filters provide a mechanism for filtering out parts of a diagram or list of elements that are not of interest leaving just the elements and connectors that are relevant to the view. The filters can be defined for elements or connectors and there are a wide range of criteria that can be set such as filter out all elements that don't have a status of 'Validated' and were created since a milestone date.



Model stakeholders typically have different interests and often only part of a diagram or element list will be relevant to them. Visual filters can assist by allowing you to filter out parts of a diagram or list of elements leaving just the elements and connectors that they want to see. This is a powerful tool in workshops, focus groups and meetings allowing a modeler to present a single diagram in many different ways.

| Where to find the Visual | Ribbon: Layout > Tools > Diagram Filters |
|--------------------------|--|
| Filters | |
| | |

Usage of the Visual Filters Visual Filters can be defined at a Repository level making them available to all users. The application of the filter is however specific to the current user, so two analysts could apply different filters to the same diagram or list simultaneously.

Options for the Visual Filters

There are a number of options available from the Visual Filters Toolbar including being able to change the way the element obscuration is presented from: Fade, Gray Scale, Hide and Select.



Context filtering can be applied so that only the element selected in the diagram and its directly connected elements will be enabled, this can be enabled from the Visual Filters window Context Menu. The filtering effect can be to hide, fade or gray scale the irrelevant elements; the Select option will conversely select the elements of interest in the diagram or list.


Learn more about the Visual Filters Visual Filters

Wire Frame Diagram

Getting to know the Wire Frame Diagram

Introducing the Wire Frame Diagram

Wire Framing is a productive tool that can be used to create visually compelling and realistic models of commercially available phones, tablets, screens and web pages. The diagrams assist Business Analysts, Experience Designers and others communicate with stakeholders, allowing them to demonstrate the solution interfaces.



 Where to find the Wire Frame Diagram
 Ribbon: Design > Diagram > New > Wireframing > Apple, Android, Dialog, Webpage, Windows Phone Wireframe

 Project Browser Caption Bar Menu: New Diagram | Wireframing | Apple, Android, Dialog, Webpage, Windows Phone Wireframe

 Project Browser context menu: Add Diagram... | Wireframing | Apple, Android, Dialog, Webpage, Windows Phone Wireframe

| Usage of the Wire Frame Diagram | A Business Analyst or Experience Designer will typically create Wire Frame models for the devices that are being targeted in the solution. The interface elements and navigational controls can be connected to other elements in the Repository. For example a drop down list could be connected to a data source indicating the origin of the data. A slide show could also be created to walk a stakeholder through a sequence of diagrams representing the flow through a User Story or Use Case. |
|---------------------------------------|---|
| Options for the Wire Frame Diagram | There are built in toolboxes for the most common types of devices, including: Android Phones and Tablets Apple iPhones and Tablets Windows Phones Screen Dialogs Webpages The toolboxes contain elements for the devices, pages and screens and a wide |

The toolboxes contain elements for the devices, pages and screens and a wide range of controls, widgets and other elements. Tagged Values can be set to hide or display elements of the interface such as phone menu buttons and notification bars.

| Toolbox | □ × □ |
|--------------------|-------|
| More tools. | 🔺 |
| Apple Screen Types | |
| iPad Air | |
| iPad Mini | |
| iPhone 4s | |
| iPhone 5c | |
| iPhone 5s | |
| iPhone 6 | |
| 📋 iPhone 6 Plus | = |
| Controls | |
| Apple Controls | |
| 📼 Address Bar | |
| 📼 App Icon | |
| 📼 Button | |
| 😐 Date/Time Picker | |
| 📼 Group List | |
| 📼 Keyboard | |
| 😐 Loading Icon | |
| Page Control | |
| 📼 Search Bar | |
| 📼 Segment Control | |
| 📼 Spinner Control | |
| 📼 Stepper | |
| 📼 Switch | |
| 📼 Text Field | |
| 📼 Title | |
| 📼 Toolbar | |
| 📼 Tab Bar | |
| Apple Patterns | - |

Diagram Filters can also be used when presenting the diagrams to draw attention to parts of the diagrams, and the diagrams can be presented as hand drawn or in a whiteboard style by changing the properties of the diagram.


Learn more about the Wire Frame Diagram Wire Framing

Working Sets

Getting to know Working Sets

Introducing Working Sets

Working Sets are a powerful way of saving a group of Workspace items such as diagrams and matrices so they can be re-opened as a set at a later time. This allows a modeler to switch between multiple tasks without losing the context of the items they are working on.



A Business Analyst will often work on a number of tasks simultaneously and each task will typically require the application of a number of techniques and tools including diagrams, matrices, documents and more. Working Sets allow a user to save groups of windows and diagrams they are working on as a set, giving the group a name so it can be easily recalled and the items opened as a set at a later time.

| Where to find Working Sets | Ribbon: Start > Today > My Work Sets |
|-------------------------------|--|
| Usage of Working Sets | Working Sets can be used to store a group of items open in an Enterprise Architect workspace as a set that can be reopened at a later time. A typical scenario is that a Business Analyst is working on a particular task and has a number of relevant diagrams and matrices and documents open that define parts of a problem or solution for a particular initiative. Suddenly they receive an urgent request to complete an unrelated task. They could save the open items as a Working Set so that once the urgent matter had been attended to the group of items could be easily reopened. |
| Options for Working Sets | Working Sets allow a number of different items to be added to a set including: Diagrams Matrix Profiles Searches Team Reviews |

- Document Templates
- Resource Documents

Any number of each type of item can be added to a Working Set and the contents of the set can be edited and diagrams can be located in the Project Browser.

| | Open Working Set |
|---|-----------------------------|
| | Create Working Set |
| | Create Working Set From |
| | Edit |
| | Copy as New |
| | Add Active View |
| | Share Working Set |
| | Apply when Model opens |
| | Store Main Tab View History |
| | Refresh Working Set Items |
| | Find in Project Browser |
| | Delete Working Set Item |
| 0 | Help |


There are a range of options available from the Working Set name context menu including being able to make the working set available to other model users by choosing the Share option.

Learn more about Working Sets Working Sets

XML Schema Generation and Import

Getting to know XML Schema Generation and Import

Introducing XML Schema Generation and Import The XML Schema Generation and Import is a built-in facility to model, forward engineer and reverse engineer XML Schemas. XML Schema Definition (XSD), also known as XML Schema, is a World Wide Web Consortium (W3C) XML technology and is used in a wide range of industries to encourage standards compliance and messaging using a common schema. The XSD specifies the rules to which an XML document must adhere and can be automatically validated by a number of tools.



| Where to find XML Schema Generation and Import | Ribbon: Code > Tools > XSD > Import XSD, Export XSD Project Browser: Package Context Menu Code Engineering Import XML Schema, Generate XML Schema |
|--|--|
| Usage of XML Schema Generation and Import | The XML Schema Generation and Import facility can be used to visualize or create a model of an XML Schema (XSD). This is particularly useful when the repository is describing shared messages or a schema that is based on a standard. |
| Options for XML Schema Generation and Import | An XML Schema can be created using an in-built model transformation applied to a an abstract Class diagram or it can be modeled using the XML Schema Toolbox page using a Class diagram. Either way the completed schema model can the be generated to create an XSD file using names and details specified in the Tagged Values of the Schema Package. There is also a purpose built tool for working with schemas called the Schema Composer, which allows messages to be created based on part of a schema. |

| XML Schema | |
|--------------------------|-----------------|
| 3 | Schema |
| Е | Element |
| A | Attribute |
| A _C | Attribute Group |
| CT | Complex Type |
| ST | Simple Type |
| G | Group |
| ٥ | Any |
| ∲ ∦ | Any Attribute |
| U | Union |
| C | Model Group |
| En | Enum |
| XML Schema Relationships | |
| ~ | Generalize |
| 1 | Associate |
| Ŧ | Common |

Learn more about XML Schema Generation and Import

XSD Models